

APPROVAL SHEET

FREE ANTENNA

RGFRA Series / Pb free

Halogens Free Product

2.4 GHz ISM Band Working Frequency

P/N: RGFRA9937380A3T

*Contents in this sheet are subject to change without prior notice.



FEATURES

- 1. Surface Mounted Devices with a small dimension of 9.9 x 3.7 x 3.8 mm³.
- 2. Able to be placed above/on ground plane. No external keep-out zone (empty space) required, which relatively save more space on PC board.
- 3. Allow placing other components besides antenna or on the backside of PCB right underneath antenna.
- 4. No sensitive to environmental includes hand effects. Ideal for Handheld devices application.

APPLICATIONS

- 1. Bluetooth, ISM 2.4GHz in samrt phone, PDA and other handheld devices.
- 2. ISM band 2.4GHz applications

DESCRIPTION

Walsin Technology Corporation develops a new antenna specified for 2.4 GHz ISM Band application, as shown in below "CONSTRUCTION". It's application typically located on this unlicensed frequency band which range covers from 2.4GHz to 2.4835GHz. To fulfill the friendly usage for antenna, this antenna has been designed to no empty space required and no sensitive to environmental through Walsin's superior product design via 3D EM Simulation Skill.

CONSTRUCTION




Fig 1. Outline of Free Antenna - RGFRA9937380A3T

DIMENSIONS

Figure		mension(mm)	Port definition	
T+ L+	L	9.9 ± 0.15	-	
W4LSIN		3.7 ± 0.15	-	
$\begin{array}{c c} & & & \\ \hline & & & \\ \hline P_{1^{\psi^{\prime}}} & & \\ \hline P_{2^{\psi^{\prime}}} & P_{3^{\psi^{\prime}}} \end{array}$	Т	3.8 ± 0.20	-	
	P _w	3.48 ± 0.10	Pad width	
	P ₁	1.4 ± 0.10	Soldering terminal	
	P ₂	1.9 ± 0.10	Feed terminal	
Note: The prat number of 9937-3 is RGFRA9937380A3T	P ₃	2.4 ± 0.15	Ground terminal	



ELECTRICAL CHARACTERISTICS


RGFRA9937380A3T		Specification	
Control Fragues av (CHz)	Marking	9937-3 * ¹	
Central Frequency(GHz)	Frequency(GHz)	2.55GHz * ³	
Gain		2 dBi (Typical)	
VSWR		2 max.	
Polarization		Linear	
Azimuth Bandwidth		Omni-directional	
Impedance		50Ω	
Rated Power (max.)		1 W	
Operation Temperature		-40°C ~ +85°C	

Remark: 1. WALSIN. 9937-3.

RGFRA9937380A3T


- 2. The specification is defined based on the test board dimension as in below
- 3. Should be fine tuned to 2450±50MHz during application.

Antenna on Test Board : (Feed point should close to board edge)






Antenna S11 on Test Board







SOLDER LAND PATTERN DESIGN



RADIATION PATTERN

Radiation Pattern and Gain were dependent on measurement board design. The specification of RGFRA9937380A3T antenna was measured based on the test board size and the antenna installation position as shown in the below:







RELIABILITY TEST

Test item	Test condition / Test method	Specification
Solderability JIS C 0050-4.6 JESD22-B102D	*Solder bath temperature : $235 \pm 5^{\circ}$ C *Immersion time : 2 ± 0.5 sec *Solder : Sn3Ag0.5Cu for lead-free	At least 95% of a surface of each terminal electrode must be covered by fresh solder.
Leaching (Resistance to dissolution of metallization) IEC 60068-2-58	*Solder bath temperature : $260 \pm 5^{\circ}\text{C}$ *Leaching immersion time : $30 \pm 0.5 \text{ sec}$ *Solder : SN63A	Loss of metallization on the edges of each electrode shall not exceed 25%.
Resistance to soldering heat JIS C 0050-5.4	*Preheating temperature: 120~150°C, 1 minute. *Solder temperature: 270±5°C *Immersion time: 10±1 sec *Solder: Sn3Ag0.5Cu for lead-free Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Samples shall satisfy electrical specification after test. Loss of metallization on the edges of each electrode shall not exceed 25%.
Drop Test JIS C 0044	*Height: 75 cm *Test Surface: Rigid surface of concrete or steel. *Times: 6 surfaces for each units; 2 times for each side.	No mechanical damage. Samples shall satisfy electrical specification after test.
Adhesive Strength of Termination JIS C 0051- 7.4.3	*Pressurizing force : 5N(≤0603) ; 10N(>0603) *Test time : 10±1 sec	No remarkable damage or removal of the termination.
Bending test JIS C 0051- 7.4.1	The middle part of substrate shall be pressurized by means of the pressurizing rod at a rate of about 1 mm/s per second until the deflection becomes 1mm/s and then pressure shall be maintained for 5±1 sec. Measurement to be made after keeping at room temperature for 24±2 hours	No mechanical damage. Samples shall satisfy electrical specification after test.

Tomporature avala	_			
Temperature cycle JIS C 0025	1. 30±3 minutes at -40°C±3°C,	No mechanical damage.		
JIO O 0020	2. 10~15 minutes at room temperature,	Samples shall satisfy electrical		
	3. 30±3 minutes at +85°C±3°C,	specification after test.		
	4. 10~15 minutes at room temperature,			
	Total 100 continuous cycles			
	Measurement to be made after keeping at			
	room temperature for 24±2 hrs			
Vibration	*Frequency: 10Hz~55Hz~10Hz(1min)	No mechanical damage.		
JIS C 0040	*Total amplitude: 1.5mm	Samples shall satisfy electrical specification		
	*Test times : 6hrs.(Two hrs each in three	after test.		
	mutually perpendicular directions)			
High temperature	*Temperature: 85°C±2°C	No mechanical damage.		
JIS C 0021	*Test duration: 1000+24/-0 hours	Samples shall satisfy electrical specification		
	Measurement to be made after keeping at	after test.		
	room temperature for 24±2 hrs			
	·			
Humidity	*Humidity: 90% to 95% R.H.	No mechanical damage.		
(steady conditions) JIS C 0022	*Temperature: 40±2°C	Samples shall satisfy electrical specification		
JIS C 0022	*Time: 1000+24/-0 hrs.	after test.		
	Measurement to be made after			
	keeping at room temperature for 24±2			
	hrs			
	500hrs measuring the first data then			
	1000hrs data			
Low temperature	*Temperature : -40°C±2°C	No mechanical damage.		
JIS C 0020	*Test duration: 1000+24/-0 hours	Samples shall satisfy electrical specification		
	Measurement to be made after keeping at	after test.		
	room temperature for 24±2 hrs			


ORDERING CODE

RG	FRA	993738	0	Α	3	Т
Walsin	Product code	Dimension code	Unit of	Application	Specification	Packing
RG: RF	FRA : Antenna	Per 2 digits of	dimension	A: 2.4GHZ ISM	Design Code	T: Reeled
/Pb free		Length, Width,	0 : 0.1 mm	Band		
device		Thickness:	1 : 1.0 mm			
		e.g. :				
		993738 =				
		Length 99,				
		Width 37,				
		Thickness 38				

Minimum Ordering Quantity: 1000 pcs per reel.


PACKAGING

Plastic Tape specifications (unit :mm)



Index	Ao	Во	ΦD	T	W
Dimension (mm)	3.95 ± 0.10	10.2 ± 0.10	1.55 ± 0.05	4.05 ± 0.10	16.0 ± 0.3
Index	Е	F	Po	P1	P2
Dimension (mm)	1.75 ± 0.10	7.50 ± 0.05	4.00 ± 0.10	12.0 ± 0.10	2.00 ± 0.05

Reel dimensions



Index	А	В	С
Dimension (mm)	Φ330±1	Φ99 ±1	Φ17.4 ± 0.5

Typing Quantity: 1000 pieces per 13" reel



CAUTION OF HANDLING

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
 - Products should be storage in the warehouse on the following conditions.

Temperature : -10 to +40°C

Humidity : 30 to 70% relative humidity

- Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
- Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
- Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
- Products should be storage under the airtight packaged condition.