

EN

PCE

Connection  
to the future



**TAURUS<sup>2</sup>**  
Der Schutzkontaktstecker

MADE IN AUSTRIA



**ROBUST**  
**RELIABLE**  
**VERSATILE**



**100%**  
MADE IN AUSTRIA



**Taurus**  
2002 – 2019

The TAURUS safety plug and connector series from PCE has stood for robustness and reliability since 2002. Used millions of times, this successful product family now passes on its strong genes to the next generation. The new **TAURUS<sup>2</sup>** impresses with its modern design and extraordinary versatility. The functional design guarantees simple and fast assembly and unbeatable user-friendliness.



Modern, slim and ergonomic **design**

**Optimized grip area** - perfect grip for safe plugging and pulling

**Robust rubber housing** (TPE)



**Proven contact carriers**

- PA6 (rubber version)
- TPE (solid rubber version)

Optimum **cable entry** with **bend protection** (membrane seal)

**Reinforcing ring** (extends the life span of the cable entry)

# STRONG

TAURUS [lat.] - THE BULL



# 2x8

## COLOUR VARIATIONS

**Standard version**  
housing black / ring red



special colours **ring**



special colours **housing**



Detailed colour definitions page 12-13




# QUALITY IN EVERY DETAIL

...manufactured according to international standards

contact carrier  
rubber (TPE)

**(solid rubber version)**



## QUICK AND EASY ASSEMBLY

- ✓ easy disassembly of housing
- ✓ large connection area
- ✓ simple mounting of the contact carriers
- ✓ internal strain relief
- ✓ easy to use cable clamp elements (open screws)
- ✓ all contact screws can be adjusted from a single direction



contact carrier  
polyamide (PA6)  
**(rubber version)**

funnel inlet of  
conductors

open +/- contact  
screws (PH2)

PE terminal leading  
(no need to shorten  
L and N conductor)

open strain relief (PA6)

◆ for severe conditions • 16A 250V~ • single- and dual earthing system

## Plug IP54




0522-sr

### Safety plugs Series TAURUS<sup>2</sup>

- rubber version (housing TPE, contact carriers PA6) or
- solid rubber version (housing TPE, contact carriers TPE)
- Austrian/German system or dual earthing system
- colour (housing/ring): black/red (standard)
- protection class: **IP54** splashproof



### Safety plug: Austrian/German system IP54




contact carriers	polyamide (PA6)	rubber (TPE)
Austrian/German	0511-sr	0512-sr



pack. unit=30 pcs.



### Safety plug: dual earthing system IP54



contact carriers	polyamide (PA6)	rubber (TPE)
dual earthing system	0521-sr	0522-sr



pack. unit=30 pcs.





2520-sr



## Connector IP20

### Safety Connectors Series TAURUS2

- rubber version (housing TPE, contact carriers PA6) or
- solid rubber version (housing TPE, contact carriers TPE)
- Austrian/German or French/Belgian system
- with or without child protection (shutter)
- colour (housing/ring): black/red (standard)
- Protection class: **IP20**



### Safety connector: Austrian/German system IP20




contact carriers	polyamide (PA6)	rubber (TPE)
Austrian/German	2510-sr	2520-sr
Austrian/German with child protection	2510-src	–




pack. unit=20 pcs.



### Safety connector: French/Belgian system IP20



contact carriers	polyamide (PA6)	rubber (TPE)
French/Belgian	2410-srw	–
French/Belgian with child protection	 2410-srcw	–

pack. unit=20 pcs.


## Connector IP54 with cap

### Safety connectors Series TAURUS<sup>2</sup>

- rubber version (housing TPE, contact carriers PA6) or
- solid rubber version (housing TPE, contact carriers TPE)
- Austrian/German or French/Belgian system
- with or without child protection (shutter)
- with cap and band
- colour (housing/ring): black/red (standard)
- Protection class: **IP54** splashproof



### Safety connector: Austrian/German system IP54 with cap



2521-sr




contact carriers	polyamide (PA6)	rubber (TPE)
Austrian/German	2511-sr	2521-sr
Austrian/German with child protection	2511-src	–



pack. unit=20 pcs.



### Safety connector: French/Belgian system IP54 with cap



contact carriers	polyamide (PA6)	rubber (TPE)
French/Belgian	2411-srw	–
French/Belgian with child protection	2411-srcw	–



pack. unit=20 pcs.



## Connector IP54 with hinged lid



2522-sr

### Safety connectors Series TAURUS<sup>2</sup>

- rubber version (housing TPE, contact carriers PA6) or
- solid rubber version (housing TPE, contact carriers TPE)
- Austrian/German or French/Belgian system
- with or without child protection (shutter)
- with hinged lid
- colour (housing/ring): black/red (standard)
- Protection class: **IP54** splashproof



### Safety connector: Austrian/German system IP54 with hinged lid



contact carriers	polyamide (PA6)	rubber (TPE)
Austrian/German	2512-sr	2522-sr
Austrian/German with child protection	2512-src	–




only IPx4

pack. unit=20 pcs.



### Safety connector: French/Belgian system IP54 with hinged lid



contact carriers	polyamide (PA6)	rubber (TPE)
French/Belgian	2412-srw	–
French/Belgian with child protection	2412-srcw	–



pack. unit=20 pcs.

## Colour variations - Ring

(similar to RAL numbers)



Housing:	black (9005)	
Ring:	red (3000)	
Cap/lid:	red (3000)	
<b>Colour code:</b>	<b>-sr</b>	
MOQ:	packaging unit	



Housing:	black (9005)	
Ring:	black (9005)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-ss</b>	
MOQ:	200 pcs.	



Housing:	black (9005)	
Ring:	blue (5017)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-sb</b>	
MOQ:	200 pcs.	



Housing:	black (9005)	
Ring:	green (6018)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-shu</b>	
MOQ:	200 pcs.	



Housing:	black (9005)	
Ring:	orange (2011)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-so</b>	
MOQ:	200 pcs.	



Housing:	black (9005)	
Ring:	yellow (1016)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-she</b>	
MOQ:	200 pcs.	



Housing:	black (9005)	
Ring:	white (9016)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-sw</b>	
MOQ:	200 pcs.	



Housing:	black (9005)	
Ring:	dark gray (7046)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-sdg</b>	
MOQ:	200 pcs.	

### Technical data:

TAURUS <sup>2</sup>	Terminal cross section (mm <sup>2</sup> )	Cable diameter (mm)	Dismantling length (mm)	Stripping length (mm)	Torques (Ncm)		
					Contact screw	Strain relief	Connecting screw
plugs	0,75 – 2,5	6 – 13	30	7	80	110	110
connectors	1 – 2,5	6 – 13	30	7	80	110	110

# Colour variations - Housing

(similar to RAL numbers)



Housing:	red (3013)	
Ring:	black (9005)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-rs</b>	
MOQ:	500 pcs.	



Housing:	orange (2011)	
Ring:	black (9005)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-os</b>	
MOQ:	500 pcs.	



Housing:	yellow (1023)	
Ring:	black (9005)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-es</b>	
MOQ:	500 pcs.	



Housing:	blue (5017)	
Ring:	black (9005)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-bs</b>	
MOQ:	500 pcs.	



Housing:	green (6018)	
Ring:	black (9005)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-us</b>	
MOQ:	500 pcs.	



Housing:	light gray (7035)	
Ring:	black (9005)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-gs</b>	
MOQ:	500 pcs.	



Housing:	anthracite (7016)	
Ring:	black (9005)	
Cap/lid:	black (9005)	
<b>Colour code:</b>	<b>-as</b>	
MOQ:	500 pcs.	

Ordering example:



plug 0511-rs  
connector 2512-rsc  
type of article | colour code | add-on e.g. shutter



**TAURUS<sup>2</sup>**  
Der Schutzkontaktstecker



**100%**  
MADE IN AUSTRIA

# Connection to the future

## PC Electric GmbH



Industrial  
plugs and sockets



Safety  
plugs and sockets



Distribution  
boxes



Cable reels



Electrical  
safety devices

# PCE

Connection  
to the future



**PCE Polska Sp. z o. o.**

Podwalna 8A

58-200 Dzierżonów

TEL +48 74 831 76 00

Fax +48 74 831 17 00

[pce@pce.pl](mailto:pce@pce.pl), [www.pce.pl](http://www.pce.pl)

Vers. 01/2020

No guarantee for technical changes  
or printing errors!

