

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 25/05/2023 Revision date: 18/04/2023 Supersedes version of: 24/03/2022 Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	: SCREEN 99
UFI	: 2T4X-7841-700V-MK0J
Product code	: BDS002581AE
Type of product	: Detergent
Vaporizer	: Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Use of the substance/mixture : Professional use : Cleaners - Precision

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier: Transfer Multisort Elektronik Ltd. Coleshill, Birmingham Coleshill House Suite 1C, 1 Station Road +44 1675790026 e-mail: office@tme-uk.eu

#### 1.4. Emergency telephone number

Emergency number

: +32(0)52/45.60.11 Office hours: 9-17h CET

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120 Brussels	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1H222;H229Serious eye damage/eye irritation, Category 2H319Hazardous to the aquatic environment – Chronic Hazard, Category 3H412Full text of H- and EUH-statements: see section 16H412

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H319 - Causes serious eye irritation.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
EUH-statements	: EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5).
	May produce an allergic reaction.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Other information

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (BE)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	5 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	1 – 5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
1-methoxy-2-propanol; monopropylene glycol methyl ether substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	1 – 5	Flam. Liq. 3, H226 STOT SE 3, H336

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propane (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	1 – 5	Flam. Gas 1, H220 Press. Gas (Liq.), H280
isobutane (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE)	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395- 27	1 – 5	Flam. Gas 1, H220 Press. Gas (Liq.), H280
butane (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	1 – 5	Flam. Gas 1, H220 Press. Gas (Liq.), H280
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3- one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 0,05	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 2 (Inhalation:dust,mist), H330 (ATE=0,05 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3- one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	( 0,05 ≤C ≤ 100) Skin Sens. 1, H317

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention.
First-aid measures after skin contact	: Wash skin with plenty of water. Seek medical attention if irritation develops.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical attention if irritation develops.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>		
5.2. Special hazards arising from the subst	tance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Extremely flammable aerosol.</li> <li>Pressurised container: May burst if heated.</li> <li>During fire, gases hazardous to health may be formed.</li> </ul>		
5.3. Advice for firefighters			
Firefighting instructions Protection during firefighting	<ul> <li>Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>		

SECTION 6: Accidental release measures			
6.1. Personal precautions, prote	ective equipment and emergency procedures		
6.1.1. For non-emergency personne	4		
Protective equipment	: Wear appropriate protective equipment and clothing during clean-up.		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		

: Evacuate unnecessary personnel. Ventilate area.

## 6.2. Environmental precautions

Emergency procedures

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination.	
Other information	: Dispose of materials or solid residues at an authorized site.	

### 6.4. Reference to other sections

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (	67-63-0)		
Belgium - Occupational Exposure Limits			
Local name	Alcool isopropylique # Isopropylalcohol		
OEL TWA	500 mg/m³		
OEL TWA [ppm]	200 ppm		
OEL STEL	1000 mg/m³		
OEL STEL [ppm]	400 ppm		
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021		
1-methoxy-2-propanol; monopropylene glyco	l methyl ether (107-98-2)		
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	1-Methoxypropanol-2		
IOEL TWA	375 mg/m³		
IOEL TWA [ppm]	100 ppm		
IOEL STEL	568 mg/m³		
IOEL STEL [ppm]	150 ppm		
Remark	Skin		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
Belgium - Occupational Exposure Limits			
Local name	1-Méthoxy-2-propanol # 1-Methoxy-2-propanol		
OEL TWA	184 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	369 mg/m³		
OEL STEL [ppm]	100 ppm		
Remark	D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht.		
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propane (74-98-6)		
Belgium - Occupational Exposure Limi	ts	
Local name	Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3) # Alifatische koolwaterstoffen in gas-vorm: Alkanen (C1-C3)	
OEL TWA [ppm]	1000 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
isobutane (75-28-5)		
Belgium - Occupational Exposure Limi	ts	
Local name	Butane, tous isomères: iso-butane # Butaan, alle isomeren: iso-butaan	
OEL STEL	2370 mg/m³	
OEL STEL [ppm]	980 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
butane (106-97-8)		
Belgium - Occupational Exposure Limi	ts	
Local name	Butane, tous isomères: n-butane # Butaan, alle isomeren: n-butaan	
OEL STEL	2370 mg/m³	
OEL STEL [ppm]	980 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	773 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2035 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	699 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	608 mg/m³	
Long-term - systemic effects, dermal	699 mg/kg bodyweight/day	
propan-2-ol; isopropyl alcohol; isopropanol (	67-63-0)	
propan-2-ol; isopropyl alcohol; isopropanol ( DNEL/DMEL (Workers)	67-63-0)	
	<b>67-63-0)</b> 888 mg/kg bodyweight/day	
DNEL/DMEL (Workers)		
DNEL/DMEL (Workers) Long-term - systemic effects, dermal	888 mg/kg bodyweight/day	
DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation	888 mg/kg bodyweight/day	
DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)	888 mg/kg bodyweight/day 500 mg/m³	

# Safety Data Sheet

propan-2-ol; isopropyl alcohol; isopropanol	(67-63-0)
PNEC (Water)	
PNEC aqua (freshwater)	140,9 mg/l
PNEC aqua (marine water)	140,9 mg/l
PNEC aqua (intermittent, freshwater)	140,9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg dwt
PNEC sediment (marine water)	552 mg/kg dwt
PNEC (Soil)	
PNEC soil	28 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	160 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	2251 mg/l
1-methoxy-2-propanol; monopropylene glyc	ol methyl ether (107-98-2)
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	553,5 mg/m³
Acute - local effects, inhalation	553,5 mg/m³
Long-term - systemic effects, dermal	183 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	369 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	33 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	43,9 mg/m³
Long-term - systemic effects, dermal	78 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	10 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC aqua (intermittent, freshwater)	100 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	52,3 mg/kg dwt
PNEC sediment (marine water)	5,2 mg/kg dwt
PNEC (Soil)	
PNEC soil	4,59 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothi	azolin-3-one (2634-33-5)
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0,966 mg/kg bodyweight/day

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation	1,2 mg/m³	
Long-term - systemic effects, dermal	0,345 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	4,03 µg/l	
PNEC aqua (marine water)	0,403 μg/l	
PNEC aqua (intermittent, freshwater)	1,1 µg/l	
PNEC aqua (intermittent, marine water)	110 ng/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	49,9 µg/kg dw	
PNEC sediment (marine water)	4,99 µg/kg dw	
PNEC (Soil)		
PNEC soil	3 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	1,03 mg/l	

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: AX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Colour: Colourless.Appearance: Propane/butane propelled liquid.Odour: citrus-like.Odour threshold: Not availableMelting point: Not applicableFreezing point: Not availableBoiling point: Not availableFlammability: Extremely flammable aerosol.Explosive properties: Not availableExplosive limits: Not available
Odourcitrus-like.Odour thresholdNot availableMelting pointNot applicableFreezing pointNot availableBoiling pointNot availableFlammabilityExtremely flammable aerosol.Explosive propertiesPressurised container: May burst if heated.
Odour threshold:Not availableMelting point:Not applicableFreezing point:Not availableBoiling point:Not availableFlammability:Extremely flammable aerosol.Explosive properties:Pressurised container: May burst if heated.
Melting point:Not applicableFreezing point:Not availableBoiling point:Not availableFlammability:Extremely flammable aerosol.Explosive properties:Pressurised container: May burst if heated.
Freezing pointNot availableBoiling pointNot availableFlammabilityExtremely flammable aerosol.Explosive propertiesPressurised container: May burst if heated.
Boiling point: Not availableFlammability: Extremely flammable aerosol.Explosive properties: Pressurised container: May burst if heated.
Flammability       : Extremely flammable aerosol.         Explosive properties       : Pressurised container: May burst if heated.
Explosive properties : Pressurised container: May burst if heated.
Explosive limits
Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : -35 °C (closed cup)
Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : 8–9,5
Viscosity, kinematic : Not available
Solubility : soluble in water.
Partition coefficient n-octanol/water (Log Kow) : Not applicable
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 1 g/cm³ at 20 °C
Relative density : 1 at 20 °C
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients

9.2.2. Other safety characteristics

: 10 - 25 %

VOC content Additional information 210 g/l
For aerosols data for the product without propellant.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

Stable under normal conditions.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

#### **SECTION 11: Toxicological information** 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met) Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane LD50 oral rat 5841 mg/kg LD50 dermal rat 2800 - 3100 mg/kg bodyweight LC50 Inhalation - Rat > 25,2 mg/l/4h propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) LD50 oral rat 5840 mg/kg bodyweight 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) LD50 oral rat 4016 mg/kg LD50 dermal rabbit > 2000 mg/kg LC50 Inhalation - Rat > 25,8 mg/l 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5) LD50 oral rat > 5000 mg/kg I D50 dermal rat > 2000 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 100 mg/l/4h Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) pH: 8 – 9,5 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5) pН 5,5 - 8,5Serious eye damage/irritation : Causes serious eye irritation. pH: 8 – 9,5 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5) 5,5 - 8,5pН Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) **Reproductive toxicity** : Not classified (Based on available data, the classification criteria are not met)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-benzisothiazol-3(2H)-one; 1,2-benzis	othiazolin-3-one (2634-33-5)			
NOAEL (animal/female, F0/P)	112 mg/kg bodyweight			
NOAEL (animal/female, F1)	56,6 mg/kg bodyweight			
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)			
Hydrocarbons, C6-C7, n-alkanes, isoalka	anes, cyclics, <5% n-hexane			
STOT-single exposure	May cause drowsiness or dizziness.			
propan-2-ol; isopropyl alcohol; isopropa	anol (67-63-0)			
STOT-single exposure	May cause drowsiness or dizziness.			
1-methoxy-2-propanol; monopropylene	glycol methyl ether (107-98-2)			
STOT-single exposure	May cause drowsiness or dizziness.			
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)			
1-methoxy-2-propanol; monopropylene	glycol methyl ether (107-98-2)			
LOAEL (oral, rat, 90 days)	2757 mg/kg bodyweight			
NOAEL (oral, rat, 90 days)	919 mg/kg bodyweight			
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight			
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)			
SCREEN 99				
Vaporizer	Aerosol			
Hydrocarbons, C6-C7, n-alkanes, isoalka	anes, cyclics, <5% n-hexane			
Viscosity, kinematic	0,7 mm²/s			
1-methoxy-2-propanol; monopropylene	glycol methyl ether (107-98-2)			
Viscosity, kinematic	1,848 mm²/s			
11.2. Information on other hazards				
11.2.1. Endocrine disrupting properties				
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in			

#### 11.2.2. Other information

No additional information available

## SECTION 12: Ecological information

## 12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short–term (acute) Hazardous to the aquatic environment, long–term (chronic) Not rapidly degradable	<ul> <li>Harmful to aquatic life with long lasting effects.</li> <li>Not classified</li> <li>Harmful to aquatic life with long lasting effects.</li> </ul>
Hydrocarbons, C6-C7, n-alkanes, isoalkane	es, cyclics, <5% n-hexane

Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at a concentration equal to or greater than 0,1 %

LC50 - Fish [1]

11,4 mg/l

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane				
C50 - Crustacea [1] 3 mg/l				
EC50 72h - Algae [1]	10 mg/l			
LOEC (chronic)	0,32 mg/l			
NOEC (chronic)	0,17 mg/l			
NOEC chronic fish	2,04 mg/l			
NOEC chronic crustacea	1 mg/l			
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)				
LC50 - Fish [1]	10000 mg/l			
LC50 - Fish [2]	9640 mg/l			
1-methoxy-2-propanol; monopropylene gly	col methyl ether (107-98-2)			
LC50 - Fish [1]	6812 mg/l			
LC50 - Fish [2]	20800 mg/l			
EC50 - Crustacea [1]	21100 – 25900 mg/l			
EC50 - Other aquatic organisms [1]	2954 mg/l			
ErC50 algae	> 1000 mg/l			
1,2-benzisothiazol-3(2H)-one; 1,2-benzisoth	niazolin-3-one (2634-33-5)			
LC50 - Fish [1]	2,2 mg/l			
EC50 - Crustacea [1]	3,27 mg/l Daphnia magna (Water flea)			
EC50 72h - Algae [1]	0,11 mg/l			
NOEC chronic fish	0,21 mg/l 28 d			
NOEC chronic crustacea	1,2 mg/l 21 d			
12.2. Persistence and degradability				
SCREEN 99				
Persistence and degradability	Not established. No data is available on the degradability of this product.			
12.3. Bioaccumulative potential				
SCREEN 99				
Partition coefficient n-octanol/water (Log Kow)	Not applicable			
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)				
Bioconcentration factor (BCF REACH)	< 100			
Partition coefficient n-octanol/water (Log Pow)	0,37			
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)				
Partition coefficient n-octanol/water (Log Pow)	0,7			
12.4. Mobility in soil				
No additional information available				

No additional information available

# Safety Data Sheet

12.5. Results of PBT and vPvB assessment	
SCREEN 99	
Results of PBT assessment	Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII
12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.
12.7. Other adverse effects	
Additional information Global warming potential (GWP)	<ul> <li>No other effects known</li> <li>0 (Fluorinated greenhouse gases - (EC) No 517/2014)</li> </ul>

SECTION 13: Disposal considerat	tions
13.1. Waste treatment methods	
Waste treatment methods European List of Waste (LoW) code	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.</li> </ul>

SECTION 14: Transpo	rt information			
n accordance with ADR / IME	OG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	2.1	2.1
	2			2
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

# Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
No supplementary information available				
14.6. Special precautions f	or user			
Overland transport				
Classification code (ADR)	:	5F		
Special provisions (ADR)	:	190, 327, 344, 625		
Limited quantities (ADR)		11		
Excepted quantities (ADR)	:	E0		
Packing instructions (ADR)	:	P207, LP200		
Special packing provisions (ADR	R) :	PP87, RR6, L2		
Mixed packing provisions (ADR)	:	MP9		
Transport category (ADR)	:	2		
Special provisions for carriage -	Packages (ADR) :	V14		
Special provisions for carriage -	Loading, unloading :	CV9, CV12		
and handling (ADR)				
Special provisions for carriage -	Operation (ADR) :	S2		
Tunnel restriction code (ADR)	:	D		
Transport by sea				
Special provisions (IMDG)	:	63, 190, 277, 327, 344, 381, 9	59	
Limited quantities (IMDG)		SP277		
Excepted quantities (IMDG)		E0		
Packing instructions (IMDG)		P207, LP200		
Special packing provisions (IMD		PP87, L2		
EmS-No. (Fire)		F-D		
EmS-No. (Spillage)	:	S-U		
Stowage category (IMDG)	:	None		
		SW1, SW22		
Segregation (IMDG)	:	SG69		
Air transport				
-		E0		
PCA Limited quantities (IATA)		Y203		
PCA limited quantity max net qua	antity (IATA) :	30kgG		
		203		
		75kg		
		203		
CAO max net quantity (IATA)		150kg		
		A145, A167, A802		
ERG code (IATA)		: 10L		
Inland waterway transport				
Classification code (ADN)		5F		
Special provisions (ADN)		190, 327, 344, 625		
		1 L		
Excepted quantities (ADN)	:	E0		
Equipment required (ADN)	:	PP, EX, A		
Ventilation (ADN)		VE01, VE04		
Number of blue cones/lights (AD	N) :	1		
Rail transport				
Classification code (RID)		5F		
Special provisions (RID)		190, 327, 344, 625		
Limited quantities (RID)		1L		
Excepted quantities (RID)		E0		
Packing instructions (RID)		P207, LP200		
		PP87, RR6, L2		
Mixed packing provisions (RID)		MP9		
Transport category (RID)	:	2		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading	:	CW9, CW12
and handling (RID)		
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)	:	23

#### 14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content

: 210 g/l

### Detergent Regulation (648/2004)

#### Allergenic fragrances > 0.01 %: d-LIMONENE

Labelling of contents		
Component	%	
aliphatic hydrocarbons, anionic surfactants	<5%	
BENZISOTHIAZOLINONE		
perfumes		
D-LIMONENE		

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

## Safety Data Sheet

Full text of H- and EUH-statements:			
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aerosol 1	Aerosol, Category 1		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5). May produce an allergic reaction.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Gas 1	Flammable gases, Category 1		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H220	Extremely flammable gas.		
H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H280	Contains gas under pressure; may explode if heated.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H330	Fatal if inhaled.		
H336	May cause drowsiness or dizziness.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Press. Gas (Liq.)	Gases under pressure : Liquefied gas		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.