PRF Laptop - Version 2 Page 1 of 14

SAFETY DATA SHEET

PRF Laptop

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

 Date issued
 12.01.2023

 Revision date
 23.02.2023

1.1. Product identifier

Product name PRF Laptop

Article no. PELAPT15, PELAPBOX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture Cleaning agent PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)

1.3. Details of the supplier of the safety data sheet

Company name Taerosol Oy Postal address Hampuntie 21 Postcode 36220 City Kangasala Country Finland Telephone number +358 33565600 Website www.taerosol.com Enterprise No. 02847686

1.4. Emergency telephone number

Emergency telephone Telephone number: 112 / Finnish Poison Information Center: 0800 147 111, 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Additional information on	The product is not classified as dangerous according to Regulation (EC) No.	
classification	1272/2008. For the full text of the statements mentioned in this Section, see	
	Section 16.	

PRF Laptop - Version 2 Page 2 of 14

2.2. Label elements

Other label information (CLP)	The product is not classified as dangerous according to Regulation (EC) No.
	1272/2008.

2.3. Other hazards

PBT / vPvB	See section 12.5
Health effect	See section 11.2

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Ethanol	CAS No.: 64-17-5 REACH Reg. No.: 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	< 20 %	
1-methoxypropan-2-ol	CAS No.: 107-98-2 EC No.: 203-539-1 REACH Reg. No.: 01-2119457435-29-XXXX	Flam. Liq. 3; H226 STOT SE 3; H336	< 10 %	
Substance comments	· ·	nits: Ethanol Eye Irrit. 2 the statements mentio	≥ 50 % oned in this Section, see S	Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. When symptoms persist or in all cases of doubt seek medical advice.
Skin contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. When symptoms persist or in all cases of doubt seek medical advice.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

General symptoms and effects None known.

4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

PRF Laptop - Version 2 Page 3 of 14

surrounding environment.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Carbon dioxide (CO2) Carbon monoxide (CO)

5.3. Advice for firefighters

Personal protective equipment
In accordance with the requirements of EN 469, firefighter's clothing with a helmet, protective boots and gloves provides a basic level of protection against chemical accidents. In case of inadequate ventilation wear respiratory protection. See section 8.2

Fire fighting procedures

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Use personal protective equipment. See section 8.2 Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Stop leak if safe to do so. Evacuate area.
For emergency responders	Use personal protective equipment. See section 8.2

6.2. Environmental precautions

Environmental precautionary	Try to prevent the material from entering drains or water courses.	
measures		

6.3. Methods and material for containment and cleaning up

Containment	Prevent further leakage or spillage if safe to do so.	
Clean up	Absorb spillage to prevent material damage.	

6.4. Reference to other sections

Other instructions See section 7, 8, 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	Keep away from oxidising agents and strongly acid or alkaline materials. Try to prevent the material from entering drains or water courses. Handle in accordance with good industrial hygiene and safety practice. Do not taste or swallow. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
	after nandling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage	Keep away from oxidising agents and strongly acid or alkaline materials. Keep
	away from food, drink and animal feedingstuffs. Keep only in original container.

PRF Laptop - Version 2 Page 4 of 14

7.3. Specific end use(s)

Specific use(s) None known.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance	Identification	Exposure limits	TWA Year
Ethanol	CAS No.: 64-17-5	Country of origin: FI Limit value (8 h): 1000 ppm Limit value (8 h): 1900 mg/ m³ Limit value (short term) Value: 1300 ppm Limit value (short term) Appraisal period: 15 min Limit value (short term) Value: 2500 mg/m³ Limit value (short term) Appraisal period: 15 min Recommended monitoring procedures: This information is not available. Source: Decree of the Ministry of Social Affairs and Health on concentrations known to be harmful (654/2020)	
1-methoxypropan-2-ol	CAS No.: 107-98-2	Country of origin: EU Limit value (8 h): 100 ppm Limit value (8 h): 375 mg/ m³ Limit value (short term) Value: 150 ppm Limit value (short term) Appraisal period: 15 min Limit value (short term) Value: 568 mg/m³ Limit value (short term) Appraisal period: 15 min Recommended monitoring procedures: This information is not available. Source: 2000/39/EC Comments: Skin Country of origin: FI Limit value (8 h): 100 ppm Limit value (8 h): 375 mg/ m³ Limit value (short term) Value: 150 ppm Limit value (short term) Value: 150 ppm Limit value (short term) Appraisal period: 15 min	

PRF Laptop - Version 2 Page 5 of 14

Limit value (short term)
Value: 568 mg/m³
Limit value (short term)
Appraisal period: 15 min
Recommended monitoring
procedures: This

information is not available. Source: 2000/39/EC Comments: Skin

DNEL / PNEC

Substance Ethanol

DNEL Group: Professional

Route of exposure: Long-term inhalation (systemic)

Value: 950 mg/m³
Group: Professional

Route of exposure: Acute inhalation (local)

Value: 1900 mg/m³
Group: Professional

Route of exposure: Long-term dermal (systemic)

Value: 343 mg/kg bw/day

Group: Consumer

Route of exposure: Acute inhalation (local)

Value: 950 mg/m³
Group: Consumer

Route of exposure: Long-term dermal (systemic)

Value: 206 mg/kg bw/day

Group: Consumer

Route of exposure: Long-term inhalation (systemic)

Value: 114 mg/m³
Group: Consumer

Route of exposure: Long-term oral (systemic)

Value: 87 mg/kg bw/day

PNEC Route of exposure: Freshwater

Value: 0,96 mg/l

Route of exposure: Soil **Value:** 0,63 mg/kg

Route of exposure: Saltwater

Value: 0,79 mg/l

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls See section 7.1, 7.2

PRF Laptop - Version 2 Page 6 of 14

Eye / face protection

Eye protection equipment

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Reference to relevant standard: SFS-EN ISO 4007:2018

SFS-EN ISO 16321-1:2022 SFS-EN ISO 18526-1:2020 SFS-EN ISO 16321-3:2022 SFS-EN ISO 16321-2:2021 SFS-EN ISO 18526-3:2020 SFS-EN ISO 18526-2:2020 SFS-EN ISO 18526-4:2020 SFS-EN ISO 19734:2021 SFS-EN 13911:2017 SFS-EN 16473 SFS-EN 167 SFS-EN 168

SFS-EN 443

Hand protection

Breakthrough time

Comments: As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Thickness of glove material

Comments: As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use.

Hand protection equipment

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

Reference to relevant standard: SFS-EN ISO 374-1:2017

SFS-EN ISO 374-5:2017

SFS-EN 511 SFS-EN 659 + A1 SFS-EN 1082-1 SFS-EN 1082-2 SFS-EN 1082-3 SFS-EN 14325:2018 SFS-EN 16350

Skin protection

Recommended protective clothing

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances,

PRF Laptop - Version 2 Page 7 of 14

and to the specific work-place. It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

Reference to relevant standard: SFS-EN 863

SFS-EN 1149-2

SFS-EN 1149-3

SFS-EN 13034 + A1

SFS-EN 16689:2017

SFS-EN ISO 6530

CEN ISO/TR 11610

SFS-EN ISO 11612

SFS-EN ISO 13688

SFS-EN ISO 13982-1

SFS-EN ISO 13982-2

SFS-EN ISO 13995

SFS-EN ISO 13997

SFS-EN ISO 14116

SFS-EN 15090

CEN ISO/TR 18690

Respiratory protection

Recommended respiratory protection

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Use respirator when performing operations involving potential exposure to vapour of the product. In case of inadequate ventilation wear respiratory protection. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. Reference to relevant standard: SFS-EN ISO 16972:2020

SFS-EN 13274-1

SFS-EN 148-1:2019

SFS-EN 144-1:2018

SFS-EN 14593-1:2018

SFS-EN 1146

SFS-EN 12021

SFS-EN 12083 + AC

SFS-EN 12941 + A1 + A2

SFS-EN 12942 + A1 + A2

SFS-EN 13274-2:2019 SFS-EN 13274-4:2020

SFS-EN 13274-5

SFS-EN 13274-6

SFS-EN 13274-3

SFS-EN 13274-8

SFS-EN 13274-5

SFS-EN 13274-7:2019

SFS-EN 134

SFS-EN 135

SFS-EN 136 + AC

SFS-EN 137

PRF Laptop - Version 2 Page 8 of 14

SFS-EN 13794 SFS-EN 138 SFS-EN 140 + AC SFS-EN 142 SFS-EN 143:2021 SFS-EN 14387:2021 SFS-EN 144-3 + AC SFS-EN 144-2:2018 SFS-EN 14435 SFS-EN 145/A1 **SFS-EN 145** SFS-EN 14529 SFS-EN 14594:2018 SFS-EN 148-2 SFS-EN 148-3 SFS-EN 149 + A1 SFS-EN 15333-2 SFS-EN 1825-2 SFS-EN 1827 + A1 SFS-EN 250 **SFS-EN 269** SFS-EN 402 SFS-EN 403 SFS-EN 404 SFS-EN 405 + A1 SFS-EN 529

Thermal hazards

Thermal hazards Not applicable.

Appropriate environmental exposure control

Environmental exposure controls See section 6.2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	clear
Odour	odourless
Odour limit	Reason for waiving data: No data.
pH	Comments: This information is not available.
Melting point / melting range	Reason for waiving data: No data.
Boiling point / boiling range	Reason for waiving data: No data.
Flash point	Reason for waiving data: No data.
Flammability	This information is not available.

PRF Laptop - Version 2 Page 9 of 14

Lower explosion limit with unit of

measurement

Reason for waiving data: No data.

Upper explosion limit with units of

measurement

Reason for waiving data: No data.

Vapour pressure
Vapour density

Reason for waiving data: No data.

Reason for waiving data: No data.

Particle characteristics

Reason for waiving data: Not applicable

Relative density

Reason for waiving data: No data.

Density

Reason for waiving data: No data.

Solubility

Comments: This information is not available.

Partition coefficient: n-octanol/

water

Reason for waiving data: No data.

Auto-ignition temperature

Reason for waiving data: No data.

Decomposition temperature

Reason for waiving data: Not applicable

Viscosity

Type: Kinematic

Reason for waiving data: No data.

9.2. Other information

Other physical and chemical properties

Physical and chemical properties

This information is not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

See section 5.2

10.2. Chemical stability

Stability

Stable

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

See section 5.2

10.4. Conditions to avoid

Conditions to avoid

See section 7.1, 7.2

10.5. Incompatible materials

Materials to avoid

See section 7.1, 7.2

10.6. Hazardous decomposition products

Hazardous decomposition products

See section 5.2

PRF Laptop - Version 2 Page 10 of 14

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance	Ethanol
Acute toxicity	Effect tested: LD50 Route of exposure: Dermal Value: 10470 mg/kg Animal test species: Rat Effect tested: LD50 Route of exposure: Dermal Value: 15800 mg/kg Animal test species: Rabbit Effect tested: LC50 Route of exposure: Inhalation. Duration: 4 hour(s) Value: 51 - 55 mg/l Animal test species: Rat Effect tested: LC50 Route of exposure: Inhalation. Duration: 1 hour(s) Value: 30000 mg/m³
	Animal test species: Mouse

Other information regarding health hazards

Assessment of acute toxicity, classification	Based on available data, the classification criteria are not met.
Assessment of skin corrosion / irritation, classification	Based on available data, the classification criteria are not met.
Assessment of eye damage or irritation, classification	Based on available data, the classification criteria are not met.
Assessment of respiratory sensitisation, classification	Based on available data, the classification criteria are not met.
Assessment of skin sensitisation, classification	Based on available data, the classification criteria are not met.
Assessment of germ cell mutagenicity, classification	Based on available data, the classification criteria are not met.
Assessment of carcinogenicity, classification	Based on available data, the classification criteria are not met.
Assessment of reproductive toxicity, classification	Based on available data, the classification criteria are not met.
Assessment of specific target organ toxicity - single exposure, classification	Based on available data, the classification criteria are not met.
Assessment of specific target organ toxicity - repeated exposure, classification	Based on available data, the classification criteria are not met.

PRF Laptop - Version 2 Page 11 of 14

Assessment of aspiration hazard, classification

Based on available data, the classification criteria are not met.

Symptoms of exposure

In case of ingestion	See section 4.2
In case of skin contact	See section 4.2
In case of inhalation	See section 4.2
In case of eye contact	See section 4.2

11.2 Other information

Endocrine disruption This information is not available.

SECTION 12: Ecological information

12.1. Toxicity

Substance Ethanol

Aquatic toxicity, fish Value: 11200 mg/l

Effect dose concentration: LC50 Exposure time: 96 hour(s)

Substance Ethanol

Aquatic toxicity, crustacean Value: 5012 mg/l

Effect dose concentration: EC50 Test duration: 48 hour(s) Comments: Fresh water

Value: 857 mg/l

Effect dose concentration: EC50 Test duration: 48 hour(s) Comments: Marine water

Substance Ethanol

Plant toxicity Value: 633 mg/kg

Effect dose concentration: EC50

12.2. Persistence and degradability

Substance Ethanol

Biodegradability Value: > 80 %

Test reference: OECD TG 301 **Comments:** Readily biodegradable

Test period: 4 day(s)

12.3. Bioaccumulative potential

Bioaccumulation, evaluation This information is not available.

12.4. Mobility in soil

PRF Laptop - Version 2 Page 12 of 14

Substance Ethanol
Soil / air volatility rate Comments: Volatile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This information is not available.

12.6. Endocrine disrupting properties

Endocrine disrupting properties

This information is not available.

12.7. Other adverse effects

Additional ecological information

This information is not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Dispose of product residue in accordance with the instructions of the person responsible for waste disposal. Avoid putting the substance into waste water.
Appropriate methods of disposal for the contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Where possible recycling is preferred to disposal.
EU Regulations	Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives

SECTION 14: Transport information

Dangerous goods

No

- 14.1. UN number
- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- 14.6. Special precautions for user
- 14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations

The rules which cover amongst other things the requirement for ventilation, protective clothing, personal protective equipment etc. can be obtained from the

PRF Laptop - Version 2 Page 13 of 14

National Occupational Health and Safety Board. Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents

15.2. Chemical safety assessment

Chemical safety assessment performed

No

SECTION 16: Other information

List of relevant H-phrases (Section

H225 Highly flammable liquid and vapour.

2 and 3)

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

CLP classification, notes

Calculation method.

Training advice

Provide adequate information, instruction and training for operators. Take notice of the directions of use on the label. To avoid risks to man and the environment,

comply with the instructions for use.

Key literature references and

Information taken from reference works and the literature.

sources for data

http://echa.europa.eu

http://eur-lex.europa.eu

http://echa-term.echa.europa.eu Ingredient Safety Data Sheets

Abbreviations and acronyms used

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = derived minimal effect level DNEL = derived no-effect level

EC50 = The effective concentration of substance that causes 50% of the

maximum response.

ECHA = European Chemicals Agency

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

EEA = European Economic Area

EU = European Union

EC number = The three European lists of substances from the previous EU chemicals regulatory framework, EINECS, ELINCS and the NLP-list, in

combination are called the EC Inventory. The EC Inventory is the source for the seven-digit EC number, an identifier of substances commercially available within the European Union.

GHS = Global Harmonised System

SDS = safety data sheet

LC50 = median lethal concentration

LDx = lethal dose x%

LOAEC = lowest observed adverse effect concentration

LOAEL = lowest observed adverse effect level

LOEC = lowest observed effect concentration

LOEL = lowest observed effect level

NOAEC = no observed adverse effect concentration

NOAEL = no observed adverse effect level NOEC = no observed effect concentration

NOEL = no observed effect level

PBT = persistent, bioaccumulative and toxic

PRF Laptop - Version 2 Page 14 of 14

	PNEC = predicted no-effect concentration ppm = parts per million QSAR = quantitative structure-activity relationship REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STOT = specific target organ toxicity UFI = unique formula identifier vPvB = very persistent and very bioaccumulative	
	nformation added, deleted or evised	Relevant changes compared to the previous version of the safety data sheet are indicated with verticle lines in the left margin.
١	Version	2