

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622020207](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Insertion Module for Advanced Mate Signal Header, 6-Row by 10-Wide, 20.00mm

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	PremiumGrade
Tool Type	Press-Fit Insertion Tool
UPC	756054153826
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622020207, TM-622010999](#)



EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

VHDM Board-to-Board Backplane Header
[74057](#) , [74058](#) , [74059](#) , [74074](#)

Application Tooling | **FAQ**

Description	Product #
--------------------	------------------

VHDM Single-Ended Board-to-Board Backplane Header, 2.00mm Pitch, Vertical, 6-Rows, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 4.75mm, 0.76µm Gold Plating. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	740571001
---	---------------------------

VHDM Single-Ended Board-to-Board Backplane Header, 2.00mm Pitch, Vertical, 6-Rows, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 5.15mm, 0.76µm Gold Plating. Series:74074
740571004
Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm

VHDM Single-Ended Board-to-Board Backplane Header, 2.00mm Pitch, Vertical, 6-Rows, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 4.75mm, 0.76µm Gold (Au) Plating, Series:74074
740579001
Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm

VHDM Single-Ended Board-to-Board Backplane Header, 2.00mm Pitch, Vertical, 6-Rows, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 5.15mm, 1.27µm Gold (Au) Plating, Series:74074
740579009
Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm

VHDM Single-Ended Board-to-Board Backplane Header, 2.00mm Pitch, Vertical, 6 Rows, Pin End Version, 60 Circuits, 10 Columns, Pin Length 6.25mm
740581002

VHDM BP 6 ROW SIG END ASSY 10 COL
740589001

VHDM Single-Ended Board-to-Board Backplane Header,
740591001

2.00mm Pitch,
Vertical, 6 Rows,
Guide Pin Signal
Module, Shield End
Version, 60 Circuits,
10 Columns, Pin
Length 4.75mm
VHDM Single-Ended [740591002](#)
Board-to-Board
Backplane Header,
2.00mm Pitch,
Vertical, 6 Rows,
Guide Pin Signal
Module, Shield End
Version, 60 Circuits,
10 Columns, Pin
Length 6.25mm
VHDM Single-Ended [740599001](#)
Board-to-Board
Backplane Header,
2.00mm Pitch,
Vertical, 6 Rows,
Guide Pin Signal
Module, Shield End
Version, 60 Circuits,
10 Columns, Pin
Length 4.75mm
VHDM H-Series [767631001](#)
Single-Ended Board-
to-Board Backplane
Header, 2.00mm
Pitch, Vertical, 6
Rows, Open End
Module, 60 Circuits,
Pin Length 4.75mm
VHDM H-Series [767639001](#)
Single-Ended Board-
to-Board Backplane
Header, 2.00mm
Pitch, Vertical, 6
Rows, Open End
Module, Open Ends
Version, 150 Circuits,
Pin Length 4.75mm

This document was generated on 01/29/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION