# **SAFETY DATA SHEET**



Techspray Zero Charge Hand Lotion UFI

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: Techspray Zero Charge Hand Lotion UFI
Product code	: 1702-8FP
Product description	: Processing aid Antistatic agent Hand Preparation
Product type	: Liquid.
Other means of identification	: Processing aid Antistatic agent Hand Preparation Industrial/Professional use UFI: MC4C-J08Y-2005-NG09

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer Techspray 8125 Cobb Center Drive Kennesaw, GA 30152 Tel: 678-819-1408 Toll free: 1-800-858-4043 Fax: 1 806-372-8750

Supplier: Transfer Multisort Elektronik Ltd. Coleshill, Birmingham Coleshill House Suite 1C, 1 Station Road +44 1675790026 e-mail: office@tme-uk.eu

Distributor

Importer ITW Contamination Control BV Saffierlaan 5 VZ-2132 Hoofddorp The Netherlands

Email: info@itw-cc.com

Tel: +31 88 1307 400 FAX: +31 88 1307 499 Website: www.Techsprayeu.com

# e-mail address of person responsible for this SDS

: Importer/Only Representative Bay 150 Shannon Industrial Estate Shannon County Clare Ireland V14 DF82 +353 61 771 500 customerservice.shannon@itwpp.com

### National contact

Techspray Zero Charge Hand Lotion UFI

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

ITW Contamination Control BV Saffierlaan 5 VZ-2132 Hoofddorp The Netherlands

Email: info@itw-cc.com

Tel: +31 88 1307 400 FAX: +31 88 1307 499 Website: www.Techsprayeu.com

# 1.4 Emergency telephone number

# National advisory body/Poison Centre

Telephone number	<ul> <li>EMERGENCY HEALTH INFORMATION: Austria 01 406 43 43, Belgium +070 245 245, Bulgaria +359 2 9154 233, Croatia +3851 2348 342, Cyprus 1401, Czech Republic +420224 919 293, Denmark +45 8212 1212, Estonia 16662, Finland 0800 147 111, France +33 (0) 1 45 42 59 59, Germany +49-30-18412-0, Greece (0300) 2107793777, Hungary +36-80-201-199, Iceland 543-4071, Ireland 01 809 2566, Italy 0382-24444, Latvia +371 67042473, Lithuania +370 (85)2362052, Luxembourg +352 8002 5500, Netherland +31 88 75 585 61, Norway +47 22 59 13 00, Poland +48 42 2530 400, Portugal +351 800 250 250, Romania +40213183606, Slovakia +421 2 5477 4166, Slovenia 112, Spain +34 91 562 0420, Sweden 112 United Kingdom (England or Wales) 0845 46 47 or Scotland 08454 24 24 24 (UK only)</li> </ul>
<u>Supplier</u>	
Telephone number	: (800)-858-4043
Hours of operation	: 8:00 AM to 5:00 PM
Information limitations	: EMERGENCY HEALTH INFORMATION: EMERGENCY SPILL INFORMATION: Transport information

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Product definition	Mixture		
Classification according t Not classified.	egulation (EC) No. 1272/2008 [CLP/GHS]		
The product is not classified	hazardous according to Regulation (EC) 1272/2008 as amended.		
Ingredients of unknown toxicity	82.5 percent of the mixture consists of component(s) of unknown acute oral 87 percent of the mixture consists of component(s) of unknown acute derma 91.3 percent of the mixture consists of component(s) of unknown acute inhal toxicity	l toxicity	
Ingredients of unknown ecotoxicity	Contains 87% of components with unknown hazards to the aquatic environment		
See Section 11 for more de	d information on health effects and symptoms.		
2.2 Label elements			
Signal word	No signal word.		
Hazard statements	No known significant effects or critical hazards.		
Precautionary statements			
Prevention	Not applicable.		
Response	Not applicable.		
Storage	Not applicable.		
Date of issue/Date of revision	: 2/21/2023 Date of previous issue : 2/21/2023 Version : 52	2/15	

Techspray Zero Charge Hand Lotion UFI

# **SECTION 2: Hazards identification**

Disposal	: Not applicable.
Supplemental label elements	: FOR INDUSTRIAL USE ONLY For professional use only.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	<u>ents</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures Product/ingredient name	: Mixture	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
stearic acid	REACH #: Annex V ≤3.4 EC: 200-313-4 CAS: 57-11-4	≤3.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-	[1]
2,2',2"-nitrilotriethanol	EC: 203-049-8 CAS: 102-71-6	≤1.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-	[1]
glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≤1.7	Eye Irrit. 2, H319	-	[1]
octadecan-1-ol	EC: 204-017-6 CAS: 112-92-5	≤1.7	Eye Irrit. 2, H319 Aquatic Chronic 4, H413	-	[1]
propane-1,2-diol	EC: 200-338-0 CAS: 57-55-6	≤1.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 See Section 16 for the full text of the H statements declared above.	-	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Туре

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

Techspray Zero Charge Hand Lotion UFI

# **SECTION 4: First aid measures**

4.1 Description of first aid m	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

# 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: Adverse symptoms may include the following: Ingestion Seek medical attention.

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media				
Suitable extinguishing : Use an extinguishing agent suitable for the surrounding fire. media				
Unsuitable extinguishing media	:	: None known.		
5.2 Special hazards arising f	ron	the substance or mixture		
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides		
5.3 Advice for firefighters				
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.		
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		
Date of issue/Date of revision		: 2/21/2023 Date of previous issue : 2/21/2023 Version : 52 4/15		

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	•	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.
solutions	

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

### **Occupational exposure limits**

No exposure limit value known.

### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
stearic acid	DNEL	Long term Oral	2.5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	4.348 mg/ m <sup>3</sup>	General population	Systemic
	DNEL	Long term Dermal	5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	10 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	17.632 mg/ m <sup>3</sup>	Workers	Systemic
2,2',2"-nitrilotriethanol	DNEL	Long term Inhalation	1.25 mg/m <sup>3</sup>	General population	Local
	DNEL	Long term Inhalation	1.25 mg/m³	General population	Systemic
	DNEL	Long term Dermal	3.1 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	5 mg/m <sup>3</sup>	Workers	Local
	DNEL	Long term Inhalation	5 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	6.3 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Oral	13 mg/kg bw/day	General population	Systemic
glycerol	DNEL	Long term Inhalation	33 mg/m <sup>3</sup>	General population	Local
	DNEL	Long term Inhalation	56 mg/m³	Workers	Local
	DNEL	Long term Oral	229 mg/kg bw/day	General population	Systemic
propane-1,2-diol	DNEL	Long term Inhalation	10 mg/m <sup>3</sup>	General population	Local
	DNEL	Long term Inhalation	10 mg/m³	Workers	Local
	DNEL	Long term Inhalation	50 mg/m³	General population	Systemic
	DNEL	Long term Inhalation	168 mg/m³	Workers	Systemic

# **SECTION 8: Exposure controls/personal protection**

## **PNECs**

No PNECs available

8.2 Exposure controls		
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	ures	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid. [Viscous liquid.]
Colour	: White.
Odour	: Pleasant.
Odour threshold	: Not available.
Melting point/freezing point	: 0°C
Initial boiling point and boiling range	: 100°C (212°F)
Flammability	: Not available.
Lower and upper explosion limit	: Not available.
Flash point	- 1

Techspray Zero Charge Hand Lotion UFI

# **SECTION 9: Physical and chemical properties**

2

		Closed cup			Open cup		
Ingredient name	°C	°F	Method	°C	°F	Method	
propane-1,2-diol	99	210.2					
isopropyl myristate	>93	>199.4					
hexadecan-1-ol	149	300.2	ASTM D 93				
glycerol				177	350.6		
2,2',2"-nitrilotriethanol	185	365					
retinyl palmitate	194	381.2	ISO 2719				
octadecan-1-ol	195	383	ASTM D 93				
stearic acid	196.06	384.9		200	392	ASTM D 92	

### Auto-ignition temperature

Ingredient name	°C	°F	Method	
isopropyl myristate	225	437	EU A.15	
octadecan-1-ol	269	516.2	ASTM E 659	
hexadecan-1-ol	272	521.6	ASTM E 659	
2,2',2"-nitrilotriethanol	324	615.2		
glycerol	370	698		
propane-1,2-diol	371	699.8		
stearic acid	400	752		
methyl 4-hydroxybenzoate	>403	>757.4		

Decomposition temperature	4	Not available.
рН	:	7.2
Viscosity	:	Not available.
Solubility in water	1	Not available.
Partition coefficient: n-octanol/ water	:	Not applicable.

ŝ

### Vapour pressure

	Vapour Pressure at 20°C			V	apour pres	sure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	23.8	3.2				
1-[1,3-bis(hydroxymethyl) -2,5-dioxoimidazolidin-4-yl]-1,3-bis (hydroxymethyl)urea	0.22	0.029				
propane-1,2-diol	0.15	0.02	EU A.4			
2,2',2"-nitrilotriethanol	<0.01	<0.0013				
glycerol	0	0		0	0	
isopropyl myristate	0	0				
retinyl palmitate	0	0				
propyl 4-hydroxybenzoate	0	0		0	0	

## **Particle characteristics**

Median particle size

: Not applicable.

# **SECTION 9: Physical and chemical properties**

9.2 Other information		
9.2.1 Information with rega	ard to physical hazard classes	
Explosive properties	: Not applicable	
Oxidising properties	: Not available.	
9.2.2 Other safety character	teristics	
Miscible with water	Not available.	
Evaporation rate	: Not available.	

# SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredient	S.
10.2 Chemical stability	: The product is stable.	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: No specific data.	
10.5 Incompatible materials	: No specific data.	
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
stearic acid	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	4600 mg/kg	-
2,2',2"-nitrilotriethanol	LD50 Oral	Rat	7.39 g/kg	-
glycerol	LD50 Oral	Rat	12600 mg/kg	-
octadecan-1-ol	LD50 Oral	Rat	>5000 mg/kg	-
propane-1,2-diol	LD50 Dermal	Rabbit	20800 mg/kg	-
	LD50 Oral	Rat	20 g/kg	-

**Conclusion/Summary** : Not available.

# Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
stearic acid	4600	N/A	N/A	N/A	N/A
2,2',2"-nitrilotriethanol	7390	N/A	N/A	N/A	N/A
glycerol	12600	N/A	N/A	N/A	N/A
propane-1,2-diol	20000	20800	N/A	N/A	N/A

Irritation/Corrosion

9/15

Techspray Zero Charge Hand Lotion UFI

# **SECTION 11: Toxicological information**

Product/ingredient name	Result	Species	Score	Exposure	Observation
stearic acid	Skin - Mild irritant	Human	-	72 hours 75	-
		5.1.1		mg l	
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
2,2',2"-nitrilotriethanol	Eyes - Mild irritant	Rabbit	-	mg 10 mg	-
_,_ ,_	Eyes - Severe irritant	Rabbit	-	20 mg	-
	Skin - Mild irritant	Human	-	72 hours 15	-
				mg l	
	Skin - Mild irritant	Rabbit	-	24 hours 560	-
	Skin - Severe irritant	Mouse		mg 50 %	_
glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
9.9				mg	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
octadecan-1-ol	Eyes - Mild irritant	Rabbit	-	24 hours 100	-
	Skin - Mild irritant	Man	_	mg 48 hours 30	_
		Wan		%	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
propane-1,2-diol	Eyes - Mild irritant	Rabbit	-	100 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Skin - Mild irritant	Human		mg 168 hours	_
		Tuman	-	500 mg	-
	Skin - Mild irritant	Woman	-	96 hours 30	-
				%	
	Skin - Moderate irritant	Child	-	96 hours 30	-
	Skin - Moderate irritant	Human		% C 72 hours 104	
	Skin - Moderale Imlant	numan	-	mg l	-
Conclusion/Summary	: Not available.				
Sensitisation	· Not available.				
Conclusion/Summary	: Not available.				
<u>Autagenicity</u>					
Conclusion/Summary	: Not available.				
Carcinogenicity					
Conclusion/Summary	: Not available.				
Reproductive toxicity					
Conclusion/Summary	: Not available.				
eratogenicity					
Conclusion/Summary	: Not available.				
Specific target organ toxicit					
Not available.	, condicionario				
Specific target organ toxicit	t <u>y (repeated exposure)</u>				
Not available.					

**Aspiration hazard** 

Not available.

Information on likely routes : Not available. of exposure Potential acute health effects

Date of issue/Date of revision

Techspray Zero Charge Hand Lotion UFI

Techspray Zero Charge Hand Lotion	
SECTION 11: Toxico	logical information
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Do not ingest. If swallowed then seek immediate medical assistance.
Symptoms related to the ph	vsical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: Adverse symptoms may include the following: Ingestion Seek medical attention.
Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health ef	iects
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	No known significant effects or critical hazards.

### 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Not available.

## 11.2.2 Other information

Not available.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2,2',2"-nitrilotriethanol	Acute EC50 609.98 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 11800000 μg/l Fresh water Chronic NOEC 16000 μg/l Fresh water	Fish - Pimephales promelas Daphnia - Daphnia magna	96 hours 21 days
propane-1,2-diol	Acute EC50 >110 ppm Fresh water Acute LC50 1020000 μg/l Fresh water	Daphnia - Daphnia magna Crustaceans - Ceriodaphnia	48 hours 48 hours
	Acute LC50 710000 µg/l Fresh water	dubia Fish - Pimephales promelas	96 hours
Conclusion/Summary	• Not available	·	

Conclusion/Summary

Not available.

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

Date of issue/Date of revision

: 2/21/2023

Techspray Zero Charge Hand Lotion UFI

# **SECTION 12: Ecological information**

## 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
stearic acid	8.23	238 to 288	low
2,2',2"-nitrilotriethanol	-1	<3.9	low
glycerol	-1.76	-	low
octadecan-1-ol	7.4	-	high
propane-1,2-diol	-1.07	-	low

12.4 Mobility in soil		
Soil/water partition coefficient (Koc)	: Not available.	
Mobility	: Not available.	

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Not available.

.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

# SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

Techspray Zero Charge Hand Lotion UFI

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. bulk according to IMO instruments

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

## Annex XIV - List of substances subject to authorisation

### Annex XIV

None of the components are listed.

# Substances of very high concern

None of the components are listed.

## Annex XVII - Restrictions : Not applicable. on the manufacture,

placing on the market and use of certain dangerous substances, mixtures and articles

### Other EU regulations

Industrial emissions : Not listed (integrated pollution prevention and control) -Air Industrial emissions : Not listed (integrated pollution prevention and control) -Water Ozone depleting substances (1005/2009/EU)

Not listed.

### Prior Informed Consent (PIC) (649/2012/EU) Not listed.

### Seveso Directive

Date of issue/Date of revision

# **SECTION 15: Regulatory information**

This product is not controlled under the Seveso Directive.

## **National regulations**

### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Ingredient name	List name	Status
Triethanolamine	Schedule III	Listed

## **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

Inventory list		
Australia	:	All components are listed or exempted.
Canada	1	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	1	All components are listed or exempted.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	Not determined.
Viet Nam	1	Not determined.
15.2 Chemical safety assessment	:	This product contains substances for which Chemical Safety Assessments are still required.

# **SECTION 16: Other information**

Indicates information	n that has changed from previously issued version.
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative</li> </ul>
Procedure used to der	ive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Justification** 

Techspray Zero Charge Hand Lotion UFI

# SECTION 16: Other information

Not classified.	

Full text of abbreviated H statements

H315 H319 H413	Causes skin irritation.
H319	Causes serious eye irritation.
H413	May cause long lasting harmful effects to aquatic life.

Classification

Full text of classifications [CLP/GHS]

Aquatic Chronic 4 Eye Irrit. 2 Skin Irrit. 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2
Date of printing	: 2/21/2023
Date of issue/ Date of revision	: 2/21/2023
Date of previous issue	e : 2/21/2023
Version	: 52
Notico to reador	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.