

szyna zbiorcza kołkowa zabezpieczona przed dotknięciem, 10 mm<sup>2</sup> 1-fazowy, długość 214 mm z możliwością cięcia, z nasadkami krańcowymi



Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	szyna zbiorcza kołkowa
wykonanie produktu	10 mm <sup>2</sup> 1FAZ L214 mm
Ogólne dane techniczne	
liczba faz	1
przekrój	10 mm <sup>2</sup>
Obwód główny	
prąd roboczy wartość znamionowa	63 A
Szczegóły produktu	
właściwość produktu elektrycznie izolowany	Tak
Połączenia	
wykonanie przyłącza elektrycznego	Kołek
Konstrukcja mechaniczna	
szerokość	15,5 mm
długość	214 mm
masa netto	32,57 g
General Product Approval	
Declaration of Conformity	
other	

[Confirmation](#)

[Miscellaneous](#)



EG-Konf.

[Miscellaneous](#)

other

Environment

[Confirmation](#)

[Environmental Confirmations](#)

### Więcej informacji

Siemens has decided to exit the Russian market (see here).  
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3730>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5ST3730>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3730](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3730)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

Ostatnia zmiana:

8.03.2022 

