


**acar**[®]**acar F5 IEC**Surge protective power strip
+ computer power cord**5 SOCKET OUTLETS WITH EARTHING PIN****AUTOMATIC FUSE****SOCKETS SAFE FOR CHILDREN****ILLUMINATED DOUBLE POLE MAINS SWITCH****SURGE PROTECTION****2 AVAILABLE COLOUR VARIANTS****AVAILABLE CABLE LENGTHS: 1.5m, 3m, 5m**

acar F5 IEC is a modern protective device of the acar family products. With a length of less than 33cm it makes available five sockets outlets with earthing. Application of computer power plug IEC 60320 C14 determines its professional use, and applying of automatic fuse creates the product virtually maintenance-free. High efficiency predisposes the device to become the basic surge protector, which is necessary in every place. Mounting brackets are optional and available from the distributor.

ILLUMINATED DOUBLE POLE MAINS SWITCH AND SLOW-BLOW AUTOMATIC FUSE



5 SOCKETS 10A WITH EARTHING PIN AND SAFETY SHUTTERS



4 POSSIBLE DIRECTIONS OF ARRANGEMENT OF THE POWER CABLE

**Technical data: acar F5 IEC**

Maximum load	P_{MAX} 2300W
Nominal voltage U_N	230V
Nominal frequency	50Hz
Nominal load current	$\Sigma I_N = 10A$ MAX
Surge protection response time	<25ns
Maximum voltage U_C	250V 50Hz
Protection level U_p	$\leq 1.3kV$
Nominal discharge current i_N	2kA (L/N) – 8/20 μs
Maximum discharge current i_{MAX}	6.5kA (L/N) – 8/20 μs
Fuses	1 automatic fuse, slow blow 10A/250V
Anti-shock protection system	earthing pins connected to the protective earthing conductor
Number of socket outlets	5 two-pole socket outlets with earthing pin, 10A/250V
Switch	illuminated double pole mains switch
Housing	made of self-extinguishing plastic
Dimensions	330x54x55mm
Weight	0.4kg

The manufacturer reserves the right to change the technical parameters of the device, resulting from technological progress.
ATTENTION! The technical data define the maximum values of surges against which the device protects.