




KS12

Low profile cooler with sickle-shape fan blades

Low profile design optimised for Mini-ITX and HTPC cases. 95mm intelligent PWM fan delivers outstanding focused airflow.

Product Code: AK-CC6308EP01

Where to Buy 

[OVERVIEW](#)

[SPECIFICATION](#)

[REVIEWS](#)

[SUPPORT](#)

[RELATED PRODUCTS](#)

Socket Type	Intel LGA1150, LGA1151, LGA1155, LGA1156, LGA1200
Suggestion TDP (W)	65
Cooler Dimension	96 x 96 x 31.8 mm
Heatsink Material	Aluminium
Installation	Screws and retention backplate
Weight	184g
Product Code	AK-CC6308EP01

Dimensions	Ø96 x 16.8 mm
Bearing	EBR Bearing
Fan Speed	800 - 2800 RPM
Max Airflow	36.28 CFM
Max Air Pressure	1.7 mm-H2O

Noise Level 15 - 37.6 dB(A)

Current Rating for Fan 0.2A

Voltage Rating for Fan DC 12V

Fan Connector 4-pin PWM

Fan Life Expectancy 40,000 hours

Warranty 2 years

AKASA (@akasa_tech)



DISCOVER

About Akasa
Where to Buy
Press Room

SUPPORT

Legacy Products
Contact Us
Terms and Privacy

STAY UP TO DATE!

Subscribe now for free alerts on newly added products, exclusive deals and more.

name@example.com



