		SALET I	DATA SHEET	🖊 TermoPas			
		according to Commission Re		s amended			
			mrażacz				
	on date	29th July 2022					
Revisi	on date	26th January 2023	Version	4.0			
SECT	ION 1: Identification	of the substance/mixture	and of the company/un	dertaking			
1.1.	Product identifier		Zamrażacz				
	Substance / mixture		mixture				
	UFI		HS00-H05T-Q00H	-			
1.2.		uses of the substance or r	nixture and uses advise	ed against			
	Mixture's intended						
	The product causes ra finding faults by ther	apid cooling to -55 ° C, mal method.					
	Main intended use						
	PC-TEC-OTH	Other products for	chemical or technical pro	cesses			
	Mixture uses advised against						
	-	ot be used in ways other ther		1.			
1.3.	Details of the supp	lier of the safety data shee	t				
	Distributor						
	Name or trade	name	Transfer Multisor	t Elektronik Ltd.			
	Address		Birmingham Coleshill House Suite 1C, 1 Station Road,				
	/1001/000		Coleshill				
			United Kingdom				
	Phone		+44 1675790026				
	E-mail		office@tme-uk.eu	1			
	Manufacturer						
	Name or trade	name		Grzegorz Gąsowski			
	Address		Kolejowa 33 E, So	okoły, 18-218			
			Poland				
	Identification n	umber (CRN)	200133730				
	VAT Reg No		PL9661767714				
	Phone		862741342				
	E-mail		biuro@termopast				
	Web address		www.termopasty	.pl			
	• •	responsible for the safety					
	Name			Grzegorz Gąsowski			
	E-mail		biuro@termopast	y.pl			
1.4.	Emergency telepho						
	European emergency	number: 112					

# 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Aerosol 1, H229, H222

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects** Extremely flammable aerosol. Pressurised container: May burst if heated.

2.2. Label elements

Hazard pictogram





according to Commission Regulation (EU) 2020/878 as amended

Zamrażacz					
Creation date	29th July 2022				
Revision date	26th January 2023	Version	4.0		

Hazard statements	
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
Precautionary statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P271	Use only outdoors or in a well-ventilated area.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	60-80	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	20-40	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	

#### Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

# If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

#### If swallowed

Unlikely.



according to Commission Regulation (EU) 2020/878 as amended

## Zamrażacz

	Zannazacz						
Creation date	29th July 2022						
Revision date	26th January 2023	Version	4.0				

## 4.2. Most important symptoms and effects, both acute and delayed

If inhaled Not expected. If on skin Not expected. If in eyes When intruding eyes, it can evoke irritation. If swallowed Not expected.

**4.3.** Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

**6.4.** Reference to other sections See the Section 7, 8 and 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
300 ml	airspray	FE
600 ml	airspray	FE

#### 7.3. Specific end use(s)

not available



according to Commission Regulation (EU) 2020/878 as amended

## Zamrażacz

Creation date	29th July 2022			
Revision date	26th January 2023	Version	4.0	

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**United Kingdom** 

The mixture contains substances for which occupational exposure limits are set.

# EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Туре	Value
	WEL 8h	1450 mg/m <sup>3</sup>
hutana (CAS) 106 07 8	WEL 8h	600 ppm
butane (CAS: 106-97-8)	WEL 15min	1810 mg/m <sup>3</sup>
	WEL 15min	750 ppm

#### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

# It is not needed.

# Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

## Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

## Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Physical state qas Colour colourless Odour without fragrance Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available Flammability Extremely flammable aerosol. Lowe Flash Auto Deco pН Kine

Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	gas
Kinematic viscosity	data not available
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	4,4
Density and/or relative density	data not available
Relative vapour density	data not available
Particle characteristics	data not available
Form	aerosol
Other information	
Evaporation rate	non-applicable

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

not available

9.2.

		_	DATA SHEET	TermoPasty						
		according to Commission Re		is amended						
	-		mrażacz							
	on date	29th July 2022								
Revisi	on date	26th January 2023	Version	4.0						
10.2.	Chemical stabili	ty								
	The product is sta	ble under normal conditions.								
10.3.	-	zardous reactions								
	Unknown.									
10.4.										
				t against flames, sparks, overheating an						
10 F		ssurised container: May burst if h	eated.							
10.5.	•		aanta							
10.6.		rong acids, bases and oxidizing a mposition products	gents.							
10.0.			comos such as carbon m	onoxide and carbon dioxide are formed a						
	high temperature									
	5									
ECTI		ical information								
L1.1.	ION 11: Toxicolog		Pegulation (EC) No 127	2/2008						
		hazard classes as defined in R		2/2008						
	No toxicological data is available for the mixture.									
	Acute toxicity Based on available data the classification criteria are not met.									
	Skin corrosion/irritation									
	Based on available data the classification criteria are not met.									
	Serious eye dan									
	-	e data the classification criteria a	re not met.							
		kin sensitisation								
		e data the classification criteria a	re not met.							
	Germ cell mutag									
	-	e data the classification criteria a	re not met.							
	Carcinogenicity									
		e data the classification criteria a	re not met.							
	Reproductive to									
	Based on available data the classification criteria are not met.									
		cific target organ - single expo								
	Based on available data the classification criteria are not met.									
	Based on available	e data the classification criteria a	ie not met.	Toxicity for specific target organ - repeated exposure						
	Toxicity for spec		xposure							
	Toxicity for spec	cific target organ - repeated e e data the classification criteria a	xposure							
	Toxicity for spece Based on available Aspiration haza	cific target organ - repeated e e data the classification criteria a rd	<b>xposure</b> re not met.	king environment may result in acute						
	Toxicity for spec Based on available Aspiration hazar Inhalation of solve inhalation poisoni	cific target organ - repeated e e data the classification criteria a rd ent vapors above values exceedin ng, depending on the level of con	<b>xposure</b> re not met. Ig exposure limits for wor	king environment may result in acute time. Based on available data the						
	Toxicity for spec Based on available Aspiration hazar Inhalation of solve inhalation poisonin classification crite	cific target organ - repeated e e data the classification criteria a rd ent vapors above values exceedin ng, depending on the level of con ria are not met.	<b>xposure</b> re not met. Ig exposure limits for wor							
11.2.	Toxicity for spec Based on available Aspiration hazar Inhalation of solve inhalation poisonin classification crite	cific target organ - repeated e e data the classification criteria a rd ent vapors above values exceedin ng, depending on the level of con ria are not met.	<b>xposure</b> re not met. Ig exposure limits for wor							

- Acute toxicity
- **12.2.** Persistence and degradability Data not available.
- **12.3. Bioaccumulative potential** Data not available.
- 12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties



according to Commission Regulation (EU) 2020/878 as amended

# ZamrażaczCreation date29th July 2022Revision date26th January 2023Version4.0

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

16 05 04 gases in pressure containers (including halons) containing hazardous substances \*

## Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

#### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

- UN 1950
- **14.2.** UN proper shipping name AEROSOLS
- 14.3.Transport hazard class(es)2Gases
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant

# 14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant

## Additional information

Hazard identification No. UN number Classification code Safety signs





according to Commission Regulation (EU) 2020/878 as amended

Zamrażacz					
Creation date	29th July 2022				
Revision date	26th January 2023	Version	4.0		
Road transport -	ADR				
Special provisi	ons	190, 327, 344, 625			
Limited quanti	ties	1 L			
Excepted quan	itities	EO			
Packaging					
Packing instrue	ctions	P207, LP200			
Special packing	g provisions	PP87, RR6, L2			
Mixed packing	provisions	MP9			
Transport cate	gory	2			
Tunnel restrict	ion code	(D)			
Special provi	sion for				
packages		V14			
loading, unloading and handling		CV9, CV12			
Railway transport	t - RID				
Special provisions		190, 327, 344, 625			
Excepted quan	itities	EO			
Packaging					
Packing instrue	ctions	P207, LP200			
Special packing	g provisions	PP87, RR6, L2			
Mixed packing	provisions	MP9			
Transport cate	gory	0			
Special provi	sion for				
packages		W 14			
loading, unload	ding and handling	CW 9, CW 12			
Air transport - IC	AO/IATA				
-	ructions for limited amount	Y203			
Packaging inst	ructions passenger	203			
Cargo packagi	ng instructions	203			
Marine transport	-				
EmS (emerger		F-D, S-U			
MFAG	•	620			

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION	16:	Other	information	
---------	-----	-------	-------------	--

A list of standard	l risk phrases used in the safety data sheet				
H220	Extremely flammable gas.				
H222	Extremely flammable aerosol.				
H229	Pressurised container: May burst if heated.				
H280	Contains gas under pressure; may explode if heated.				
Guidelines for sa	Guidelines for safe handling used in the safety data sheet				
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.				
P211	Do not spray on an open flame or other ignition source.				
P251	Do not pierce or burn, even after use.				
P271	Use only outdoors or in a well-ventilated area.				



according to Commission Regulation (EU) 2020/878 as amended

according to Commission Regulation (EU) 2020/878 as amended Zamrażacz							
Revision date	26th January 2023	Version	4.0				
P410+P412	Protect from sunli	ght. Do no expose to terr	peratures exceeding 50 °C/122 °F.				
•	ant information about human he	•					
	ust not be - unless specifically appr ion 1. The user is responsible for a		er/importer - used for purposes other the ealth protection regulations.				
Key to abbrev	viations and acronyms used in th	he safety data sheet					
ADR	European agreemo road	ent concerning the intern	ational carriage of dangerous goods by				
BCF	Bioconcentration F	Factor					
CAS	Chemical Abstract	s Service					
CLP	5 ( )	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures					
EC	Identification code	e for each substance liste	d in EINECS				
EINECS	European Invento	European Inventory of Existing Commercial Chemical Substances					
EmS	Emergency plan						
EU	European Union						
EuPCS	European Product	Categorisation System					
IATA	International Air T	ransport Association					
IBC		International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals					
ICAO	International Civil	Aviation Organization					
IMDG	International Mari	time Dangerous Goods					
IMO	International Mari	time Organization					
INCI	International Nom	International Nomenclature of Cosmetic Ingredients					
ISO	International Orga	International Organization for Standardization					
IUPAC	International Unio	International Union of Pure and Applied Chemistry					
log Kow	Octanol-water par	Octanol-water partition coefficient					
OEL	Occupational Expo	Occupational Exposure Limits					
PBT	Persistent, Bioacc	umulative and Toxic					
ppm	Parts per million						
REACH		uation, Authorisation and					
RID	-	Agreement on the transport of dangerous goods by rail					
UN	5	Four-figure identification number of the substance or article taken from the UN Model Regulations					
UVCB		Substances of unknown or variable composition, complex reaction products or biological materials					
VOC	Volatile organic co	ompounds					
vPvB	Very Persistent an	nd very Bioaccumulative					
Aerosol	Aerosol						
Flam. Gas	Flammable gas						
Press. Gas	Gases under press	sure					
Training guid	elines						

#### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 26 January 2023. Changes were made in sections 1, 2, 13, 15 and 16. **More information** 

Classification procedure - calculation method.



according to Commission Regulation (EU) 2020/878 as amended

Zamrażacz						
Creation date	29th July 2022					
Revision date	26th January 2023	Version	4.0			

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.