		SAFETY DATA SHEE	TermoPast			
	according to Commission Regulation (EU) 2020/878 as amended					
	Pianka	a do czyszczenia matryc	LCD/TFT			
		ruary 2023				
Revisi	on date	Version	8.0			
SECT	ION 1: Identification of the sub	stance/mixture and of the company	y/undertaking			
1.1.	Product identifier	Pianka do cz	yszczenia matryc LCD/TFT			
	Substance / mixture	mixture				
	UFI	3330-50TH-1	Y00V-NX7M			
	Other mixture names					
	LCD/TFT Cleaner					
1.2.	Relevant identified uses of the	e substance or mixture and uses ad	lvised against			
	Mixture's intended use					
	Cleaning agent.					
	Main intended use					
	PC-CLN-15.2	Cleaners for home electronic screens				
	Mixture uses advised against					
	The product should not be used in ways other than those referred in Section 1.					
1.3.	Details of the supplier of the safety data sheet					
	Distributor					
	Name or trade name	Transfer Mult	tisort Elektronik Ltd.			
	Address	Birmingham	Coleshill House Suite 1C, 1 Station Road,			
	Address	Coleshill				
		United Kingd	lom			
	Phone	+44 167579				
	E-mail	office@tme-u	uk.eu			
	Manufacturer					
	Name or trade name	AG TermoPas	sty Grzegorz Gąsowski			
	Address	Kolejowa 33	E, Sokoły, 18-218			
		Poland				
	Identification number (CR	N) 200133730				
	VAT Reg No	PL96617677	14			
	Phone	862741342				
	E-mail	biuro@termo	ppasty.pl			
	Web address	www.termop	asty.pl			
	Competent person responsib	e for the safety data sheet				
	Name	-	sty Grzegorz Gąsowski			
	E-mail	biuro@termo	ppasty.pl			
1.4.	Emergency telephone numbe	r				
	European emergency number: 1	12				

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Aerosol 1, H229, H222

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Pressurised container: May burst if heated. Extremely flammable aerosol.



according to Commission Regulation (EU) 2020/878 as amended

Pianka do czyszczenia matryc LCD/TFT Creation date 13th February 2023 8.0 Revision date Version 2.2. Label elements Hazard pictogram Signal word Danger **Hazard statements** H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. **Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F. Supplemental information

<5 % non-ionic surfactants, perfumes

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	8,4-11,2	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25- XXXX	isopropanol	6,897	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	2,8-5,6	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 605-019-00-3 CAS: 5392-40-5 EC: 226-394-6 Registration number: 01-2119462829-23	citral	≤0,000774	Skin Irrit. 2, H315 Skin Sens. 1, H317	

Full text of all classifications and hazard statements is given in the section 16.



according to Commission Regulation (EU) 2020/878 as amended

Pianka do czyszczenia matryc LCD/TFT

Creation date Revision date

Version

8.0

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

Unlikely. DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

13th February 2023

If inhaled Not expected. If on skin Not expected. If in eyes When intruding eyes, it can evoke irritation. If swallowed Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. Unsuitable extinguishing media Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Pressurised container: May burst if heated. Extremely flammable aerosol. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

Pianka do czyszczenia matryc LCD/TFT

Creation date Revision date

Version

8.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

13th February 2023

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
200 ml	airspray	FE
400 ml	airspray	FE
Conselfier and conselers		

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	500 mg/m ³	Chronic effects systemic		
Workers	Dermal	888 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	89 mg/m ³	Chronic effects systemic		
Consumers	Dermal	319 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	26 mg/kg bw/day	Chronic effects systemic		

PNEC

isopropanol

Route of exposure	Value	Value determination	Source
Drinking water	140.9 mg/l		
Marine water	140.9 mg/l		
Freshwater sediment	552 mg/kg of dry substance		
Freshwater environment	552 mg/kg of dry substance		
Soil (agricultural)	28 mg/kg of dry substance		

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.



according to Commission Regulation (EU) 2020/878 as amended

Pianka do czyszczenia matryc LCD/TFT

Creation date Revision date

Version

8.0

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment. **Thermal hazard** Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

13th February 2023

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state	qas		
	Colour	colourless		
	Odour	characteristic		
	Melting point/freezing point	data not available		
	Boiling point or initial boiling point and boiling range	data not available		
	Flammability	Extremely flammable aerosol.		
	Lower and upper explosion limit	data not available		
	Flash point	data not available		
	Auto-ignition temperature	data not available		
	Decomposition temperature	data not available		
	рН	6-7 (undiluted)		
	Kinematic viscosity	data not available		
	Solubility in water	soluble		
	Solubility in fats	data not available		
	Partition coefficient n-octanol/water (log value)	data not available		
	Vapour pressure	data not available		
	Density and/or relative density			
	Density	data not available		
	Relative density	data not available		
	Relative vapour density	data not available		
	Particle characteristics	data not available		
	Form	aerosol dispenser: foam aerosol		
9.2.	Other information			
	Evaporation rate	non-applicable		
	Oxidising properties	It is not oxidising.		
	Explosive properties	The product does not have explosive properties.		
	Vapour density	data not available		

SECTION 10: Stability and reactivity

 10.1. Reactivity not available
 10.2. Chemical stability The product is stable under normal conditions.
 10.3. Possibility of hazardous reactions Unknown.
 10.4. Conditions to avoid The product is stable and no degradation occurs under normal use. Pressurised container: May burst if heated.
 10.5. Incompatible materials Protect against strong acids, bases and oxidizing agents.
 10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.



according to Commission Regulation (EU) 2020/878 as amended

Pianka do czyszczenia matryc LCD/TFT

Creation date Revision date 13th February 2023

Version

8.0

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

isopropanol

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC50	>5 mg/l	4 hours	Rat	
Oral	LD 50	>2000 mg/kg		Rat	
Skin	LD 50	>2000 mg/kg		Rabbit	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

isopropanol

Parameter	Value	Exposure time	Species	Environment
LC50	>100 mg/l	48 hours	Fish (Leuciscus idus)	
EC₅o	>100 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50	>100 mg/l	72 hours	Algae (Scenedesmus subspicatus)	

12.2. Persistence and degradability

The mixture is biodegradable.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties



according to Commission Regulation (EU) 2020/878 as amended

Pianka do czyszczenia matryc LCD/TFT

Creation date Revision date

Version

8.0

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 05 04 gases in pressure containers (including halons) containing hazardous substances *

Packaging waste type code

15 01 05 composite packaging

20 01 01 paper and cardboard

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

13th February 2023

SECTION 14: Transport information

- 14.1. UN number or ID number
- UN 1950
- 14.2. UN proper shipping name AEROSOLS
- 14.3.Transport hazard class(es)2Gases
- 14.4. Packing group not relevant

14.5. Environmental hazards not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant

Additional information

Hazard identification No. UN number Classification code Safety signs





according to Commission Regulation (EU) 2020/878 as amended

Pianka do czyszczenia matryc LCD/TFT

Creation date	13th February 2023			
Revision date		Version	8.0	
Air transport	- ICAO/IATA			
Packaging	instructions passenger	203		
Cargo pac	kaging instructions	203		
Marine trans	oort - IMDG			
EmS (eme	ergency plan)	F-D, S-U		
MFAG		620		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

H220Extremely flammable gas.H222Extremely flammable aerosol.H225Highly flammable liquid and vapour.H229Pressurised container: May burst if heated.H280Contains gas under pressure; may explode if heated.H315Causes skin irritation.H317May cause an allergic skin reaction.H338Causes serious eye irritation.H339Causes serious eye irritation.H336May cause drowsiness or dizziness.Guidelines for safe handling used in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source. P251P210No smoking.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other thar as per the Section 1.Key to abbreviations and acromy used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASContentificion code for each substance listed in EINECSECsoContentificion code for each substance listed in EINECSECsoContentificion code for each substance listed in EINECSEuropean Inventory of Existing Commercial Chemical SubstancesEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEINECSEurope	A list of standard risk phrase	es used in the safety data sheet
H225Highly flammable liquid and vapour.H229Pressurised container: May burst if heated.H220Contains gas under pressur; may explode if heated.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.Guidelines for safe handling used in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acromys used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance listed in EINECSECsoEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency planEUEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency plan <th>H220</th> <th>Extremely flammable gas.</th>	H220	Extremely flammable gas.
H229Pressurised container: May burst if heated.H280Contains gas under pressure; may explode if heated.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause an allergic skin reaction.H317Day cause an allergic skin reaction.H336May cause drowsiness or dizziness.Guidelines for safe handling used in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other thar as per the Section 1.Key to abbreviations and acronyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEuropean Inventory of Existing Commercial Chemical Substance	H222	Extremely flammable aerosol.
H280Contains gas under pressure; may explode if heated.H315Gauses skin irritation.H317May cause an allergic skin reaction.H318Gauses serious eye irritation.H336May cause drowsiness or dizziness.Guidelines for safe handlingused in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other thar as per the Section 1.Key to abbreviations and acromys used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEuropean Inventory of Existing Commercial Chemical SubstancesEmsEuropean Inventory of Existing Commercial Chemical SubstancesEmsEuropean Inventory of Existing Commercial Chemical SubstancesEmsEurope	H225	Highly flammable liquid and vapour.
H315Causes skin irritation.H317May cause an allergic skin reaction.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.Guidelines for safe handling used in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acromys used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (CE) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEuropean UnionEUEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Accel Transport AssociationIBCInternational Accel Transport Asso	H229	Pressurised container: May burst if heated.
H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.Guidelines for safe handling used in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important informationation bout human health protectionThe product must not be - universe subscription agreement concerning the international carriage of dangerous goods by roadADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoEuropean Inventory of Existing Commercial Chemical SubstancesEMSSEuropean Inventory of Existing Commercial Chemical SubstancesEMSSEuropean UnionEUPCSEuropean UnionEUPCSEuropean UnionEUPCSEuropean Inventory of Existing Commercial Chemical SubstancesEINSEuropean Inventory of Transport AssociationEINSEuropean Inventory of Existing Commercial Chemical SubstancesEINSEuropean UnionEUPCSEuropean Inventory of Transport AssociationEI	H280	Contains gas under pressure; may explode if heated.
H319Causes serious eye irritation.H336May cause drowsiness or dizziness.Guidelines for safe handling used in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other thar as per the Section 1.Key to abbreviations and acroryms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean UnionEUEuropean UnionEUEur	H315	Causes skin irritation.
H336May cause drowsiness or dizziness.Guidelines for safe handlingused in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acronyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEmergency planEUEuropean UnionEUPCSEuropean Inventory of AssociationEUSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIATAInternational Air Transport AssociationIATAInternational Categorisation SystemIATAInternational Air Transport AssociationIATAInternational Air Transport	H317	May cause an allergic skin reaction.
Guidelines for safe handling used in the safety data sheetP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other thar as per the Section 1.Key to abbreviations and acronyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEmergency planEUEuropean UnionEuropean UnionEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIATAInternational Air Transport AssociationIATAInternational Air Transport AssociationIATAInternational Air Transport AssociationIATAInternational Cate For The Construction And Equipment of Ships Carrying Dangerous Chemicals	H319	Causes serious eye irritation.
P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acromyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEmergency planEUEuropean UnionEUPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Air Transport Association	H336	May cause drowsiness or dizziness.
No smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acronyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECs=0Concentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEuropean UnionEUEuropean UnionEUEuropean UnionEUEuropean UnionEuropean UnionEuropean UnionEuropean UnionEuropean UnionEuropean UnionEuropean UnionEuropean UnionEuropean Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	Guidelines for safe handling	used in the safety data sheet
P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acronyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEmergency planEUEuropean UnionEuropean Array care product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Air Transport Association	P210	
P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acronyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEuropean Inventory of Existing Commercial Chemical SubstancesEMSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	P211	Do not spray on an open flame or other ignition source.
Other important information about human health protectionThe product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acromyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	P251	Do not pierce or burn, even after use.
The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.Key to abbreviations and acromys used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmEuropean UnionEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.
as per the Section 1.Key to abbreviations and acronyms used in the safety data sheetADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmsEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	Other important information	about human health protection
ADREuropean agreement concerning the international carriage of dangerous goods by roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals		ess specifically approved by the manufacturer/importer - used for purposes other than
roadBCFBioconcentration FactorCASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	Key to abbreviations and ac	ronyms used in the safety data sheet
CASChemical Abstracts ServiceCLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	ADR	
CLPRegulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	BCF	Bioconcentration Factor
Substance and mixturesECIdentification code for each substance listed in EINECSECsoConcentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	CAS	Chemical Abstracts Service
ECs0Concentration of a substance when it is affected 50% of the populationEINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	CLP	
EINECSEuropean Inventory of Existing Commercial Chemical SubstancesEmSEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	EC	Identification code for each substance listed in EINECS
EmSEmergency planEUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	EC50	Concentration of a substance when it is affected 50% of the population
EUEuropean UnionEuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	EINECS	European Inventory of Existing Commercial Chemical Substances
EuPCSEuropean Product Categorisation SystemIATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	EmS	Emergency plan
IATAInternational Air Transport AssociationIBCInternational Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	EU	European Union
IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	EuPCS	European Product Categorisation System
Dangerous Chemicals	IATA	International Air Transport Association
	IBC	
	ICAO	



according to Commission Regulation (EU) 2020/878 as amended

Pianka do czyszczenia matryc LCD/TFT	
Creation date	13th February 2023
Revision date	Version 8.0
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aerosol	Aerosol
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization

 STOT SE
 Specific target organ toxicity - single exposure

 Training guidelines
 Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 8.0 replaces the SDS version from 24 January 2023. Changes were made in sections 2 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.