

according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** Zalewa epoksydowa dwuskładnikowa 141

Substance / mixture mixture

SM30-60XW-T00U-MYR0

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Mixture's intended use

Encapsulation of electronic circuits

Main intended use

PC-TEC-26 Products for molding, casting, rigid and flexible foams, including resin mixtures

(excludes adhesives, construction products, paints and coatings)

### Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

#### 1.3. Details of the supplier of the safety data sheet

Distributor

Name or trade name Transfer Multisort Elektronik Ltd.

Birmingham Coleshill House Suite 1C, 1 Station Road,

Coleshill

United Kingdom +44 1675790026

Phone E-mail office@tme-uk.eu

Manufacturer

Address

Name or trade name AG TermoPasty Grzegorz Gąsowski Address Kolejowa 33 E, Sokoły, 18-218

Poland

Identification number (CRN) 200133730 VAT Reg No PL9661767714 Phone 862741342

E-mail biuro@termopasty.pl Web address www.termopasty.pl

Competent person responsible for the safety data sheet

AG TermoPasty Grzegorz Gąsowski Name

E-mail biuro@termopasty.pl

#### 1.4. **Emergency telephone number**

European emergency number: 112

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1.

## Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Repr. 2, H361d

STOT RE 1, H372 (hearing organs)

Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

### Most serious adverse physico-chemical effects

Flammable liquid and vapour.

### Most serious adverse effects on human health and the environment

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging the unborn child. Causes damage to hearing organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

8.0 Revision date Version

#### 2.2. **Label elements**

### **Hazard pictogram**





### Signal word

Danger

### **Hazardous substances**

bis-[4-(2,3-epoxipropoxi)phenyl]propane

stvrene

## **Hazard statements**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H372 Causes damage to hearing organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P210

No smoking.

P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. **Mixtures**

### Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers   | Substance name                          | Content in % weight | Classification according to<br>Regulation (EC) No 1272/2008  | Note |
|--|---|---------------------|--|------|
| CAS: 1675-54-3<br>EC: 216-823-5<br>Registration number:<br>01-2119456619-26-<br>0013 | bis-[4-(2,3-epoxipropoxi)phenyl]propane |                     | Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Eye Irrit. 2, H319<br>Aquatic Chronic 2, H411<br>Specific concentration limit:<br>Skin Irrit. 2, H315: $C \ge 5$ %<br>Eye Irrit. 2, H319: $C \ge 5$ % |      |



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

| Identification numbers   | Substance name | Content in % weight | Classification according to<br>Regulation (EC) No 1272/2008  | Note |
|--|----------------|---------------------|--|------|
| Index: 601-026-00-0<br>CAS: 100-42-5<br>EC: 202-851-5<br>Registration number:<br>01-2119457861-32-<br>XXXX | styrene        |                     | Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H335 Repr. 2, H361d STOT RE 1, H372 (hearing organs) Aquatic Chronic 3, H412 | 1    |

### **Notes**

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilised".

Full text of all classifications and hazard statements is given in the section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

### If swallowed

Provide medical treatment. For persons with no symptoms, call the Toxicological Information Centre to decide about the need of medical treatment; provide information about the substances or composition of the product from the original packaging or the Safety Data Sheet of the product.

### 4.2. Most important symptoms and effects, both acute and delayed

## If inhaled

Cough, headache.

### If on skin

May cause an allergic skin reaction.

### If in eyes

Causes serious eye irritation.

### If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

| Content | Packaging type | Material of package |
|---------|----------------|---------------------|
| 100 g   | box            | FE                  |

### The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

### 7.3. Specific end use(s)

not available



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

### **DNEL**

bis-[4-(2,3-epoxipropoxi)phenyl]propane

| Workers / consumers | Route of exposure | Value                     | Effect                   | Value determination | Source |
|---------------------|-------------------|---------------------------|--------------------------|---------------------|--------|
| Workers             | Dermal            | 0.75 mg/kg<br>bw/day      | Chronic effects systemic |                     |        |
| Consumers           | Dermal            | 89.3 µg/kg                | Chronic effects systemic |                     |        |
| Consumers           | Oral              | 0.5 mg/kg<br>bw/day       | Chronic effects systemic |                     |        |
| Workers             | Inhalation        | 4.93<br>mg/m³             | Chronic effects systemic |                     |        |
| Consumers           | Inhalation        | 0.87<br>mg/m <sup>3</sup> | Chronic effects systemic |                     |        |

## styrene

| Workers / consumers | Route of exposure | Value                       | Effect                   | Value<br>determination | Source |
|---------------------|-------------------|-----------------------------|--------------------------|------------------------|--------|
| Workers             | Inhalation        | 306 mg/m <sup>3</sup>       | Acute effects local      |                        |        |
| Consumers           | Inhalation        | 182.75<br>mg/m <sup>3</sup> | Acute effects local      |                        |        |
| Workers             | Inhalation        | 289 mg/m <sup>3</sup>       | Acute effects systemic   |                        |        |
| Consumers           | Inhalation        | 174.25<br>mg/m <sup>3</sup> | Acute effects systemic   |                        |        |
| Consumers           |                   | 10.2<br>mg/m <sup>3</sup>   | Chronic effects systemic |                        |        |
| Workers             |                   | 85 mg/m <sup>3</sup>        | Chronic effects systemic |                        |        |
| Consumers           | Dermal            | 343 mg/kg<br>bw/day         | Chronic effects systemic |                        |        |
| Workers             | Dermal            | 406 mg/kg<br>bw/day         | Chronic effects systemic |                        |        |
| Consumers           | Oral              | 2.1 mg/kg<br>bw/day         | Chronic effects systemic |                        |        |

## PNEC

bis-[4-(2,3-epoxipropoxi)phenyl]propane

| Route of exposure                  | Value                        | Value determination | Source |
|------------------------------------|------------------------------|---------------------|--------|
| Microorganisms in sewage treatment | 10 mg/l                      |                     |        |
| Soil (agricultural)                | 0.065 mg/kg of dry substance |                     |        |
| Freshwater sediment                | 0.341 mg/kg of dry substance |                     |        |
| Sea sediments                      | 0.034 mg/kg of dry substance |                     |        |
| Water (intermittent release)       | 0.018 mg/l                   |                     |        |
| Marine water                       | 0.001 mg/l                   |                     |        |

### styrene

| Route of exposure                  | Value       | Value determination | Source |
|------------------------------------|-------------|---------------------|--------|
| Drinking water                     | 0.028 mg/l  |                     |        |
| Marine water                       | 0.0028 mg/l |                     |        |
| Microorganisms in sewage treatment | 5 mg/l      |                     |        |
| Water (intermittent release)       | 0.04 mg/l   |                     |        |



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

#### styrene

| Route of exposure   | Value                         | Value determination | Source |
|---------------------|-------------------------------|---------------------|--------|
| Freshwater sediment | 0.614 mg/kg of dry substance  |                     |        |
| Sea sediments       | 0.0614 mg/kg of dry substance |                     |        |
| Soil (agricultural) | 0.2 mg/kg of dry substance    |                     |        |

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

### Eye/face protection

Protective goggles.

### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

liquid

#### Thermal hazard

Not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state liquid
Colour yellow
Odour specific
Melting point/freezing point 141 °C

Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available

Flash point 58 °C Auto-ignition temperature 490 °C

Decomposition temperature data not available pH 7 (undiluted)
Kinematic viscosity data not available
Viscosity 900 - 1500 mPas

Solubility in water insoluble

Solubility in fats data not available
Partition coefficient n-octanol/water (log value) 3,242 (25°C, pH = 7,1)
Vapour pressure data not available

Density and/or relative density

Density 1,11 – 1,15 g/cm³
Relative vapour density data not available
Particle characteristics data not available

m

### 9.2. Other information

not available



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

### **Acute toxicity**

Based on available data the classification criteria are not met.

bis-[4-(2,3-epoxipropoxi)phenyl]propane

| Route of exposure | Parameter | Value            | Exposure time | Species | Sex |
|-------------------|-----------|------------------|---------------|---------|-----|
| Oral              | LD50      | >2000 mg/kg      |               | Rat     | М   |
| Oral              | LD50      | >15000 mg/kg     |               | Rat     | F   |
| Dermal            | LD50      | >2000 mg/kg      |               | Rat     | F/M |
| Dermal            | LD50      | >3450 mg/kg      |               | Rabbit  | F   |
| Oral              | NOEL      | 50 mg/kg bw/day  |               |         |     |
| Oral              | NOAEL     | 100 mg/kg bw/day |               |         |     |

styrene

| Route of exposure | Parameter | Value       | Exposure time | Species | Sex |
|-------------------|-----------|-------------|---------------|---------|-----|
| Inhalation        | LC50      | 11.8 mg/l   | 4 hours       | Rat     |     |
| Dermal            | LD50      | >2000 mg/kg |               | Rat     |     |
| Oral              | LD50      | 5000 mg/kg  |               | Rat     |     |

### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/irritation

Causes serious eye irritation.

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

## Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

bis-[4-(2,3-epoxipropoxi)phenyl]propane

| Route of exposure | Parameter | Value              | Specific target organ | Result | Species | Sex |
|-------------------|-----------|--------------------|-----------------------|--------|---------|-----|
| Oral              | NOAEL     | 15 mg/kg<br>bw/day | Undefined             |        |         |     |
| Dermal            | NOAEL     | 1 mg/kg bw/day     | Liver                 |        |         |     |



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

### Reproductive toxicity

Suspected of damaging the unborn child.

bis-[4-(2,3-epoxipropoxi)phenyl]propane

| Effect                 | Parameter | Value            | Result | Species | Sex |
|------------------------|-----------|------------------|--------|---------|-----|
| Effects on fertility   | NOAEL     | 750 mg/kg bw/day |        |         |     |
| Developmental toxicity | NOAEL     | 180 mg/kg bw/day |        |         |     |

## **Toxicity for specific target organ - single exposure**

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Causes damage to hearing organs through prolonged or repeated exposure.

### **Aspiration hazard**

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

### **Acute toxicity**

Toxic to aquatic life with long lasting effects.

bis-[4-(2,3-epoxipropoxi)phenyl]propane

| Parameter | Value     | Exposure time | Species                           | Environment |
|-----------|-----------|---------------|-----------------------------------|-------------|
| LC50      | 2 mg/l    | 96 hours      | Fish (Salmo gairdneri)            | Fresh water |
| EC50      | 21.8 mg/l | 48 hours      | Daphnia (Daphnia<br>magna)        |             |
| NOEC      | 0.5 mg/l  |               | Daphnia (Daphnia<br>magna)        |             |
| ErC50     | 11 mg/l   | 72 hours      | Algae (Selenastrum capricornutum) |             |
| NOEC      | 4.2 mg/l  | 72 hours      | Algae (Selenastrum capricornutum) |             |

## styrene

| Parameter | Value     | Exposure time | Species                                     | Environment |
|-----------|-----------|---------------|---|-------------|
| LC50      | 4.1 mg/l  | 96 hours      | Fish (Oncorhynchus mykiss)                  |             |
| LC50      | 23 mg/l   | 48 hours      | Daphnia (Daphnia<br>magna)                  |             |
| EC50      | 4.7 mg/l  | 48 hours      | Daphnia (Daphnia<br>magna)                  |             |
| EC50      | 4.9 mg/l  | 72 hours      | Algae (Selenastrum capricornutum)           |             |
| EC50      | 120 mg/kg | 14 days       | Other aquatic organisms<br>(Eisenia fetida) |             |

### 12.2. Persistence and degradability

not available

### 12.3. Bioaccumulative potential

bis-[4-(2,3-epoxipropoxi)phenyl]propane

| Parameter | Value                | Exposure time | Species | Environment | Temperature [°C] |
|-----------|----------------------|---------------|---------|-------------|------------------|
| BCF       | 31 mg/m <sup>3</sup> |               |         |             |                  |
| Log Kow   | 3.242                |               |         |             | 25°C             |



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

Not available.

#### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### **SECTION 14: Transport information**

### 14.1. UN number or ID number

UN 1866

### 14.2. UN proper shipping name

**RESIN SOLUTION** 

### 14.3. Transport hazard class(es)

3 Flammable liquids

### 14.4. Packing group

III - substances presenting low danger

### 14.5. Environmental hazards

not relevant

## 14.6. Special precautions for user

Reference in the Sections 4 to 8.

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **Additional information**

Hazard identification No.

UN number

Classification code

Safety signs

30 1866

F1

3+hazardous for the environment



### Marine transport - IMDG

EmS (emergency plan) MFAG

F-E, S-E 300



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

| H226 | Flammable liquid and vapour. |
|------|------------------------------|
|------|------------------------------|

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H372 Causes damage to hearing organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

### Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 Avoid breathing mist/vapours/spray.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan
EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization



according to Commission Regulation (EU) 2020/878 as amended

# Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023

Revision date Version 8.0

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientNOAELNo observed adverse effect levelNOECNo observed effect concentration

NOEL No observed effect level OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Asp. Tox.

Aspiration hazard

Eye Irrit.

Flam. Liq.

Repr.

Skin Irrit.

Skin Sens.

Skin sensitization

Aspiration hazard

Eye irritation

Flammable liquid

Reproductive toxicity

Skin irritation

Skin sensitization

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

## **Recommended restrictions of use**

not available

## Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 8.0 replaces the SDS version from 22 November 2021. Changes were made in sections 1, 2, 15 and 16.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.