

■ Description

- LED Kit contains LEDs and mounting clips
- 170pcs are supplied in a storage box
- Easy to use and storage
- Widely applied to DIY projects, school science experiments, car decorations, etc.

■ Features

- 5mm round standard 30° directivity
- UV resistant epoxy
- Warm White/Natural White/Cool White
- Water clear
- Single part clips for mounting


■ Product Picture

170pcs/Box (Dimensions: 137*68*28mm)



■ Kit Contents

Section	Contents	Pcs	P/N	Spec
1	5mm LED, Warm White	40	OSM55131A	Page 2
2	5mm LED, Natural white	40	OSM75131A	
3	5mm LED, Cool White	40	OSW55131A	Page 3
4	5mm LED Mounting Clip	50		






■Description

- 5mm round standard 30° directivity
- UV resistant epoxy
- White color
- Water clear

■Applications

- General purpose indicators
- Small area illuminations
- Christmas light
- Backlighting

■Outline Dimension




■Absolute Maximum Rating (Ta=25°C)

Item	Symbol	Value	Unit
		M/W	
DC Forward Current	I _F	30	mA
Pulse Forward Current#	I _{FP}	100	mA
Reverse Voltage	V _R	5	V
Power Dissipation	P _D	102	mW
Operating Temperature	T _{opr}	-30 ~ +85	°C
Storage Temperature	T _{stg}	-40~ +100	°C
Lead Soldering Temperature	T _{sol}	260°C/5sec	-

#Pulse width Max.10ms Duty ratio max 1/10

■Directivity



■Electrical -Optical Characteristics (Ta=25°C)

5mm LED			
LED P/N	OSM55131A	OSM75131A	OSW55131A
Light Color	Warm White	Natural White	Cool White
Lens Color	Water Clear	Water Clear	Water Clear
Color Temperature*1	2700-3300K	3500-4500K	8500-18000K
Luminous Intensity(typ.)*3	19000mcd	19000mcd	19000mcd
Forward Voltage*4	2.7-3.4V	2.7-3.4V	2.7-3.4V
Forward Current	20mA	20mA	20mA
Viewing Angle(typ.)	30°	30°	30°
Quantity(pcs)/Box	40	40	40

*1 Tolerance of measurements of color temperature is ±10%

*3 Tolerance of measurements of luminous intensity is ±15%

*4 Tolerance of measurements of forward voltage is ±0.1V

Material	NYLON66
Color	Black
Fireproofing Grade	94V-2
Tolerance	±0.2mm

■Product Information & Outline Dimension:

Item	A	B	C	D	E	F
3mm LED Mounting Clip	Φ4.5	Φ6.0	Φ3.1	1.4	6.0	Φ4.4
5mm LED Mounting Clip	Φ6.4	Φ7.8	Φ5.1	1.5	7.5	Φ6.0

Unit: mm

