

# **SIM7070G**

CAT-M&NB-IoT Module











# **Product Description**

The SIM7070G is Multi-Band CAT-M, NB-IoT and GPRS module solution in a SMT type.

It has strong extension capability with rich interfaces including UART, GPIO, PCM, SPI, I2C etc. The module provides much flexibility and ease of integration for customer's application.

It is designed for applications that need low latency, Low throughput data communication in a variety of radio propagation conditions. Due to the unique combination of performance, security and flexibility, this module is ideally suited for M2M applications, such as metering, asset tracking, remote monitoring, E-health etc..

# **Key Benefits**

- With Power Save Mode(PSM) and Extended
   Discontinuous Reception(eDRX), SIM7070G can extend
   battery life to 10 years.
- CAT-M, NB-IoT, GPRS triple mode
- The package of SIM7070G is compatible with SIM7000/SIM800F/SIM900

Smart machine Smart decision

Tel:86-21-31575100 simcom@simcom.com www.simcom.com



#### **General Features**

Support Bands:

CAT-M:

B1/B2/B3/B4/B5/B8/B12/B13/B14/B18/B19/B20/B25/B2

6/B27/B28/B66/B71/B85

CAT-NB:

B1/B2/B3/B4/B5/B8/B12/B13/B18/B19/B20/B25/B26/B2

8/B66/B71/B85

GSM/GPRS:

850/900/1800/1900MHz

Control Via AT Commands
Supply voltage range: 3.0V-4.6V

Operation temperature: -40°C to +85°C

Dimensions: 24 X 24 X 2.3 mm

Weight:  $2.9 \pm 0.2g$ 

### **GNSS**

GPS, Beidou, GLONASS, Galileo

#### Data

#### Cat-M:

# NB-IoT:

## EDGE:

- Uplink up to 236.8Kbps, Downlink up to 236.8Kbps

#### **GPRS:**

- Uplink up to 85.6Kbps, Downlink up to 85.6Kbps

#### Consumption

PSM: TBD Sleep: TBD Idle: TBD eDRX: TBD

# **Other Features**

TCP/UDP

HTTP/HTTPS/TLS/DTLS/PING/LWM2M/COAP/MQTT

Ayla Cloud

Firmware update via USB

FOTA

EAT

# **Interfaces**

UART

SIM card

PCM/I2S

SPI

I2C

GPIO ADC

USB

Embedded SIM (optional)

## Certifications(plan)

FCC/IC/ANATEL

**PTCRB** 

AT&T/TMOBILE/VERIZON

RoHS/REACH

#### Smart machine Smart decision

Tel:86-21-31575100 simcom@simcom.com www.simcom.com